

Overview		File Options	
Tables	40	When opening file	
Relationships	0	Login using	Off
Layouts	0	Switch to layout	Off
Scripts	0	Perform script	SFM: Make sure SFM is registered properly; if not, close this file
Value Lists	0	When closing file	
Custom Functions	0	Perform script	Off
Accounts	0		
Privilege Sets	0		
Extended Privileges	0		
File References	0		

Tables

Table Name	Statistics	Occurrences in Relationship Graph
---PEOPLE---	0 fields defined, 0 record	
People	133 fields defined, 3657 records	
Jobs	24 fields defined, 959 records	
Awards	10 fields defined, 536 records	
AwardDescriptions	8 fields defined, 25 records	
BioData	14 fields defined, 2271 records	
Expertise	14 fields defined, 460 records	
=	0 fields defined, 0 record	
Students	25 fields defined, 115 records	
StudentJobs	17 fields defined, 131 records	
StudentDates	10 fields defined, 116 records	
-----UNITS-----	0 fields defined, 0 record	
Units	37 fields defined, 260 records	
---PROG/EVTS/ACT---	0 fields defined, 0 record	
Programs	56 fields defined, 84 records	
Events	54 fields defined, 583 records	
Assoc Events	2 fields defined, 9 records	
Event Seating Dates	7 fields defined, 3 records	
Activities	28 fields defined, 1288 records	
---PRESENTERS---	0 fields defined, 0 record	
Presenters	35 fields defined, 1479 records	
PresentersContacts	15 fields defined, 115 records	
---PARTICIPANTS---	0 fields defined, 0 record	
Participants	76 fields defined, 13419 records	
ParticipantsContacts	20 fields defined, 2237 records	
Participant Seating	14 fields defined, 137 records	
ParticipantOtherData	9 fields defined, 16 records	
EventAttendLabels	9 fields defined, 139 records	
RSVP Attend Values Groups	2 fields defined, 8 records	
RSVP Attend Values	2 fields defined, 57 records	
---EVTADMIN---	0 fields defined, 0 record	
EvtAdmin	13 fields defined, 706 records	
EvtSponsors	10 fields defined, 112 records	
EvtAssistants	10 fields defined, 153 records	
EvtAuthorization	11 fields defined, 601 records	
---ADMIN---	0 fields defined, 0 record	
DataGlobals	39 fields defined, 1 record	
UserSelectFields	76 fields defined, 0 record	
Tabs	95 fields defined, 1 record	
PeopleControl	9 fields defined, 12 records	

Fields

Table Name: People - 133 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none">Serial: Generate: On creation, Next value: 3873, Increment: 1 Validation: <ul style="list-style-type: none">Always ValidateStrict data type: NumericNot emptyUniqueStrict validation	Auto-generated serial number				

		<ul style="list-style-type: none"> Error message: The Person ID field cannot be modified. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 				
BYU Person ID	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Official BYU Person ID number. The internal ID uses to identify each person uniquely. Never changes.			
Base Unit ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User selected from Units Table via script			
__NAME DATA__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 				
Full Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Calculation: Trim (<i>PEOPLE_MAIN</i>::Rest of Name) & " " & Trim (<i>PEOPLE_MAIN</i>::Last Name) & If (not IsEmpty (<i>PEOPLE_MAIN</i>::Suffix) ; " " & Trim (<i>PEOPLE_MAIN</i>::Suffix)) Validation: <ul style="list-style-type: none"> Only during data entry Unique Error message: Another person exists with the same "Full Name." If you are sure that person is a different person, click "Yes," otherwise click "Revert Record." Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Calculated based on name elements			
Last Name First	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Calculation: Trim (<i>PEOPLE_MAIN</i>::Last Name) & ", " & Trim (<i>PEOPLE_MAIN</i>::Rest of Name) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Calculated based on name elements			
Preferred Full Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Calculation: Trim (<i>PEOPLE_MAIN</i>::Preferred Name) & " " & Trim (<i>PEOPLE_MAIN</i>::Last Name) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Calculated based on name elements			
Last Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Trim (<i>PEOPLE_MAIN</i>::Last Name)) Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Error message: The last name field must contain only valid letters and characters. Thanks!! Calculation: IsEmpty (Filter (<i>PEOPLE_MAIN</i>::Last Name ; "!@#%&^*()_+={}[]\ :;<>?/, ")) //Checks for any characters in the field. Storage:	User Entered			

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Rest of Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (Trim (<i>PEOPLE_MAIN</i>::Rest of Name)) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Preferred Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Case (IsEmpty (<i>PEOPLE_MAIN</i>::Preferred Name) ; Case (PatternCount (<i>PEOPLE_MAIN</i>::Rest of Name ; " ") = 0 and PatternCount (<i>PEOPLE_MAIN</i>::Rest of Name ; " ") = 0 ; <i>PEOPLE_MAIN</i>::Rest of Name ; PatternCount (<i>PEOPLE_MAIN</i>::Rest of Name ; " ") = 0 and PatternCount (<i>PEOPLE_MAIN</i>::Rest of Name ; " ") = 1 ; Middle (<i>PEOPLE_MAIN</i>::Rest of Name ; Position (<i>PEOPLE_MAIN</i>::Rest of Name ; " " ; 1 ; 1) + 1 ; <i>PEOPLE_MAIN</i>::Rest of Name) ; Position (<i>PEOPLE_MAIN</i>::Rest of Name ; " " ; 1 ; 1) = 2 ; Middle (<i>PEOPLE_MAIN</i>::Rest of Name ; Position (<i>PEOPLE_MAIN</i>::Rest of Name ; " " ; 1 ; 1) + 1 ; Length (<i>PEOPLE_MAIN</i>::Rest of Name) - Position (<i>PEOPLE_MAIN</i>::Rest of Name ; " " ; 1 ; 1)) ; Left (<i>PEOPLE_MAIN</i>::Rest of Name ; Position (<i>PEOPLE_MAIN</i>::Rest of Name ; " " ; 1 ; 1) - 1)) ; Unformat (<i>PEOPLE_MAIN</i>::Preferred Name)) //Assuming [Preferred Name] is Empty: Extracts the Name out of [First of Name], depending on whether there is an initial and where the initial is. //Case 1: No initial and no space //Case 2: No initial and 1 space //Case 3: Initial after first letter //Case 4: All other cases //Middle (text ; start ; numberOfCharacters) //Position (text ; searchString ; start ; occurrence) Validation: <ul style="list-style-type: none"> • Only during data entry • Error message: The preferred name field contains characters other than letters. Is this entry correct? • Calculation: IsEmpty (Filter (<i>PEOPLE_MAIN</i>::Preferred Name ; "!@#%\$%^&*()_-+={}[] \\';<>?/, ")) //Checks for any characters in the field. Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Calculated guess based on name elements or User Entered				
Middle Name_Maiden Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN</i>::Middle Name_Maiden Name) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	This is useful for find women who have married or just to have the complete middle name				
Suffix	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN</i>::Suffix) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Name Suffix				
---CONTACT---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					

Address	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Upper (<i>PEOPLE_MAIN::Address</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Campus Address				
Phone	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Phone</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Campus Ext. or full phone number for off-campus				
Email	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Lower (Unformat (<i>PEOPLE_MAIN::Email</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Error message: The Email does not appear correct. Email addresses should have one "@" sign, at least one period, and no return characters. Allow this value? Calculation: <i>PEOPLE_MAIN::Email</i> = "" or (PatternCount (<i>PEOPLE_MAIN::Email</i> ; "@") = 1 and PatternCount (<i>PEOPLE_MAIN::Email</i> ; ".") > 0 and PatternCount (<i>PEOPLE_MAIN::Email</i> ; "¶") = 0) //Email addresses must have one "@" sign and at least one period and no ¶ marks. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Calculated Guess based on Name elements or User Entered				
Alt Phone	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Alt Phone</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Alternative phone number(s)				
OffCampus Address	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::OffCampus Address</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Used for Fall Seminar invites and other times when we need a set of off-campus addresses				
Ext Verified	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Ext Verified</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Date the validity of this person's phone number was verified (useful when sending mass phone message and the name doesn't match the extension)				
Homepage URL	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Homepage URL</i>) Validation:	URL of the home page of this person				

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
----DEMOG----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Gender	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Gender</i>) Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Value list: Gender Error message: Choose "M" for Male or "F" for Female. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: "M" for Male or "F" for Female.				
Age	Calculated, Number	Calculation: <ul style="list-style-type: none"> Let ([today = Get (CurrentDate); original_birthdate = <i>PEOPLE_MAIN::Birthdate</i>; current_birthday = Date (Month (original_birthdate); Day (original_birthdate); Year (today))]; Year (today) - Year (original_birthdate) - Case (today < current_birthday; 1; 0)) //Matt's calculation; My First Attempt: Int ((Get (CurrentDate) - Birthdate)/365.25) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Calculated based on Birthdate				
Birthdate	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (PatternCount (<i>PEOPLE_MAIN::Birthdate</i> ; " ") = 2 ; Unformat (Case (MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Jan" ; 1 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Feb" ; 2 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Mar" ; 3 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Apr" ; 4 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "May" ; 5 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Jun" ; 6 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Jul" ; 7 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Aug" ; 8 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Sep" ; 9 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Oct" ; 10 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Nov" ; 11 ; MiddleWords (<i>PEOPLE_MAIN::Birthdate</i> ; 2 ; 1) = "Dec" ; 12) & "/" & LeftWords (<i>PEOPLE_MAIN::Birthdate</i> ; 1) & "/" & RightWords (<i>PEOPLE_MAIN::Birthdate</i> ; 1)) ; Unformat (Date (Month (<i>PEOPLE_MAIN::Birthdate</i>); Day (<i>PEOPLE_MAIN::Birthdate</i>); Year (<i>PEOPLE_MAIN::Birthdate</i>)))) /*Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004; the first case statement covers dates pasted in from Route Y*/ Validation: <ul style="list-style-type: none"> Always Validate Strict data type: 4 digit year Strict validation Error message: Format dates "1/1/1960." The birthdate year must have four digits (i.e. "1960") and not be in the future. Thanks!! Calculation: /*Checks to make sure that the Birthdate is not more than 150 years ago or in the future*/ ((Year (<i>PEOPLE_MAIN::Birthdate</i>) > (Year (Get (CurrentDate))) - 150) and (Year (<i>PEOPLE_MAIN::Birthdate</i>) ≤ (Year (Get (CurrentDate))))) or IsEmpty (<i>PEOPLE_MAIN::Birthdate</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User Entered				
Nation of Origin	Normal,	Auto-Enter:	Birth Country from BYU Records or				

	Text	<ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Nation of Origin</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	nation where the person grew up (if more relevant)				
Ethnicity	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Ethnicity</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	From BYU Records				
Citizenship	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Citizenship</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	From BYU Records				
Marital Status	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Marital Status</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: "M" for Married or "S" for Single.				
Religion	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Religion</i>) Validation: <ul style="list-style-type: none"> Only during data entry Value list: All Religions Error message: This Religion has not been used before in this database. If you are sure it is correct, do you want to add it to the value list? Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Religious affiliation of the person				
Degree	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Degree</i>) Validation: <ul style="list-style-type: none"> Only during data entry Value list: All Degrees Error message: This Degree has not been used before in this database. If you are sure it is correct, do you want to add it to the value list? Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Select from Value List				
----JOB----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

		<ul style="list-style-type: none"> Index Language: English 					
Employee Class	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Employee Class</i>) Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Value list: Employee Class Error message: Choose from the drop-down list. If the appropriate value is not listed, talk with Jane. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Select from Value List				
Unit Role	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (<i>PEOPLE_MAIN::Person ID</i> = Lookup (<i>People_BUHead_P::Person ID</i>) ; Lookup (<i>Units_BU_P::Unit Type</i>) & " Unit Head" ; <i>PEOPLE_MAIN::Person ID</i> = Lookup (<i>People_BUSec_P::Person ID</i>) ; Lookup (<i>Units_BU_P::Unit Type</i>) & " Unit Secretary" ; <i>PEOPLE_MAIN::Person ID</i> = Lookup (<i>People_BUAcctRep_P::Person ID</i>) ; Lookup (<i>Units_BU_P::Unit Type</i>) & " Unit Acct Rep" ; IsEmpty (<i>PEOPLE_MAIN::Base Unit ID</i>) ; "Not assigned to any unit" ; Lookup (<i>Units_BU_P::Unit Type</i>) & " Unit Member") Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Unit Type & Person's Role in relationship to their Unit				
PT Job Description	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::PT Job Description</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
RY Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::RY Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Data copied from RY when researching person				
----R&S----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Rank	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Rank</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Select from Value List or add unique value				
CFS Status	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::CFS Status</i>) Validation: <ul style="list-style-type: none"> Only during data entry Value list: CFS Status Categories Error message: Please choose a value from the drop-down list. 	User Entered: Select from Value List				

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
First Yr CFS Track	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::First Yr CFS Track</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Track	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Track</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Value list: Track • Error message: Please choose a value from the drop-down list. Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered: Select from Value List				
Yr 3Yr Review	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Yr 3Yr Review</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Year of this person's Third-Year Review				
Yr 6yr Review	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Yr 6yr Review</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 	Year of this person's Sixth-Year Review				
Yr CFS Granted	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Yr CFS Granted</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Year this person was granted CFS				
Yr 1st Rank Adv	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Yr 1st Rank Adv</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Year of this person's rank advancement to Associate Professor (or equivalent).				
Yr 2nd Rank Adv	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PEOPLE_MAIN::Yr 2nd Rank Adv</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Year of this person's rank advancement to Full Professor (or equivalent).				

---BYU DATES---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 				
BYU Original Hire Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>PEOPLE_MAIN::BYU Original Hire Date</i>); Day (<i>PEOPLE_MAIN::BYU Original Hire Date</i>); Year (<i>PEOPLE_MAIN::BYU Original Hire Date</i>))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Strict data type: 4 digit year Error message: This date must be in this format: "8/23/1990" Calculation: /*Checks to make sure that the BYU Original Date is not more than 100 years ago or more than 2 years in the future*/ ((Year (<i>PEOPLE_MAIN::BYU Original Hire Date</i>) > (Year (Get (<i>CurrentDate</i>))) - 100) and (Year (<i>PEOPLE_MAIN::BYU Original Hire Date</i>) < (Year (Get (<i>CurrentDate</i>)) + 2))) or IsEmpty (<i>PEOPLE_MAIN::BYU Original Hire Date</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User Entered: The earliest known hire date for this individual (post-student). Use for only historical purposes.			
BYU Last Hire Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>PEOPLE_MAIN::BYU Last Hire Date</i>); Day (<i>PEOPLE_MAIN::BYU Last Hire Date</i>); Year (<i>PEOPLE_MAIN::BYU Last Hire Date</i>))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Strict data type: 4 digit year Strict validation Error message: This date must be in this format: "8/23/1990" Calculation: /*Checks to make sure that the BYU Hire Date is not more than 100 years ago or more than 2 years in the future*/ ((Year (<i>PEOPLE_MAIN::BYU Last Hire Date</i>) > (Year (Get (<i>CurrentDate</i>))) - 100) and (Year (<i>PEOPLE_MAIN::BYU Last Hire Date</i>) < (Year (Get (<i>CurrentDate</i>)) + 2))) or IsEmpty (<i>PEOPLE_MAIN::BYU Last Hire Date</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User Entered: The most recent hire date at this employee class.			
BYU Last Hire Year	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Year (<i>PEOPLE_MAIN::BYU Last Hire Date</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Calculated or User Entered: Year of most recent hire date. Purpose: Useful if only year, not hire date, is known.			
First BYU Month	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Case (Month (<i>PEOPLE_MAIN::BYU Last Hire Date</i>) > 1 and Month (<i>PEOPLE_MAIN::BYU Last Hire Date</i>) ≤ 9; "September?"; "January?") /* If the person is hired between February to September, then GUESS that the first month working is September; If the person is hired on between September to January, then GUESS that the first month working is January. This assumptions could be false and can be changed by the user */ Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Calculated or User Entered: First month of working at BYU at this employee class.			

		<ul style="list-style-type: none"> Index Language: English 				
Left BYU Year	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Left</i> BYU Year) Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Year this person left BYU			
Left BYU Reason	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Left</i> BYU Reason) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Reason why this person left BYU (Retired, New Job, Contract ended, etc.)			
BYU History Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::BYU</i> History Notes) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Any notes about this person's history at BYU, including Employee Class this person had before the present position.			
Activity Status	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Constant data: Active Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Active = Still Active in current unit; Inactive = Gone from current unit; OnLeave = Temporarily gone from current unit;			
---HISTORY---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 				
Yrs Exp NonBYU	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Yrs</i> Exp NonBYU) Validation: <ul style="list-style-type: none"> Only during data entry Range: 0 - 50 Error message: Double-check the number entered to make sure it is correct. Allow this value? Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: Number of years worked at this employee class NOT AT BYU.			
Yrs Exp BYU B4 Hire	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Yrs</i> Exp BYU B4 Hire) Validation: <ul style="list-style-type: none"> Only during data entry Range: 0 - 30 Error message: Double-check the number entered to make sure it is correct. Allow this value? Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: Number of years worked at this employee class at BYU PREVIOUS to the last hire date.			

Yrs Exp Place Unknown	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN</i>::Yrs Exp Place Unknown) Validation: <ul style="list-style-type: none"> Only during data entry Range: 0 - 50 Error message: Double-check the number entered to make sure it is correct. Allow this value? Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: Number of years worked at this employee class PLACE UNKNOWN.				
Yrs Since BYU Hire	Calculated, Number	Calculation: <ul style="list-style-type: none"> /*Only return a result of there is a valid year in BYU HIRE YEAR */ Case(<i>PEOPLE_MAIN</i>::BYU Last Hire Year < 1900 and <i>PEOPLE_MAIN</i>::BYU Last Hire Year > 10000) or IsEmpty (<i>PEOPLE_MAIN</i>::BYU Last Hire Year); "", /*If LEFT BYU = "No" or "Temp" or there is not a valid year in LEFT BYU, Calculate CURRENT YEAR - BYU Hire Year*/ <i>PEOPLE_MAIN</i>::Left BYU Year = "No" or <i>PEOPLE_MAIN</i>::Left BYU Year = "Temp" or <i>PEOPLE_MAIN</i>::Left BYU Year - <i>PEOPLE_MAIN</i>::BYU Last Hire Year<0; Year (Get (CurrentDate)) - <i>PEOPLE_MAIN</i>::BYU Last Hire Year; /*OR: IF there is a valid number in LEFT BYU: Calculate YR LEFT BYU - BYU Hire Year*/ <i>PEOPLE_MAIN</i>::Left BYU Year > 1900 or <i>PEOPLE_MAIN</i>::Left BYU Year < 10000; <i>PEOPLE_MAIN</i>::Left BYU Year - <i>PEOPLE_MAIN</i>::BYU Last Hire Year; /*DEFAULT VALUE: ""*/ "" Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Today's year (or Year Left BYU) minus last BYU Hire Year.				
Yrs Exp BYU Total	Calculated, Number	Calculation: <ul style="list-style-type: none"> <i>PEOPLE_MAIN</i>::Yrs Exp BYU B4 Hire + <i>PEOPLE_MAIN</i>::Yrs Since BYU Hire Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Total number of years at this employee class at BYU.				
Yrs Exp Total	Calculated, Number	Calculation: <ul style="list-style-type: none"> <i>PEOPLE_MAIN</i>::Yrs Exp NonBYU + <i>PEOPLE_MAIN</i>::Yrs Exp BYU Total + <i>PEOPLE_MAIN</i>::Yrs Exp Place Unknown Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Total number of years at this employee class TOTAL.				
Year_Reported__First_Full_time_Faculty_Position	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Year of Report_Whether or not this is the person's first full-time faculty position that year				
--MISC FIELDS--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
NetID	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN</i>::NetID) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Official BYU netID number.				
BYU ID	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN</i>::BYU ID) Validation:	New BYU ID number.				

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 				
Corrected LNF	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Used to compare against older MS Works data			
Head Unit ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Calculation: <i>Units_HUDData_P::</i>Unit ID Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	This is here so I can make a compound match for members of HU in People.			
Home Unit ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>Units_HomeUnitName_P::</i>Unit ID Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto entered via scripts Based on Home Unit Name			
Home Unit Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>Units_HomeUnitID_P::</i>Unit Name Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Auto entered via scripts OR User selected			
Home Discipline	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::</i>Home Discipline) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Taken from Presenter db. Use to update the Home Unit			
Audit Log	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Right (<i>PEOPLE_MAIN::</i>Person ID & <i>PEOPLE_MAIN::</i>BYU Person ID & <i>PEOPLE_MAIN::</i>Base Unit ID & <i>PEOPLE_MAIN::</i>Preferred Name & <i>PEOPLE_MAIN::</i>Last Name & <i>PEOPLE_MAIN::</i>Rest of Name & <i>PEOPLE_MAIN::</i>Middle Name_Maiden Name & <i>PEOPLE_MAIN::</i>Suffix & <i>PEOPLE_MAIN::</i>Address & <i>PEOPLE_MAIN::</i>Email & <i>PEOPLE_MAIN::</i>Phone & <i>PEOPLE_MAIN::</i>Alt Phone & <i>PEOPLE_MAIN::</i>OffCampus Address & <i>PEOPLE_MAIN::</i>Gender & <i>PEOPLE_MAIN::</i>Birthdate & <i>PEOPLE_MAIN::</i>Nation of Origin & <i>PEOPLE_MAIN::</i>Ethnicity & <i>PEOPLE_MAIN::</i>Citizenship & <i>PEOPLE_MAIN::</i>Marital Status & <i>PEOPLE_MAIN::</i>Religion & <i>PEOPLE_MAIN::</i>Degree & <i>PEOPLE_MAIN::</i>PT Job Description & <i>PEOPLE_MAIN::</i>Employee Class & <i>PEOPLE_MAIN::</i>RY Notes & <i>PEOPLE_MAIN::</i>Rank & <i>PEOPLE_MAIN::</i>CFS Status & <i>PEOPLE_MAIN::</i>First Yr CFS Track & <i>PEOPLE_MAIN::</i>Track & <i>PEOPLE_MAIN::</i>Yr 3Yr Review & <i>PEOPLE_MAIN::</i>Yr 6yr Review & <i>PEOPLE_MAIN::</i>Yr CFS Granted & <i>PEOPLE_MAIN::</i>Yr 1st Rank Adv & <i>PEOPLE_MAIN::</i>Yr 2nd Rank Adv & <i>PEOPLE_MAIN::</i>BYU Original Hire Date & <i>PEOPLE_MAIN::</i>BYU Last Hire Date & <i>PEOPLE_MAIN::</i>BYU Last Hire Year & <i>PEOPLE_MAIN::</i>First BYU Month & <i>PEOPLE_MAIN::</i>Left BYU Year & <i>PEOPLE_MAIN::</i>Left BYU Reason & <i>PEOPLE_MAIN::</i>BYU History Notes & 	This field auto-enters the log text, accumulating as edits are made. New fields can be added to the calculations.			

		<p>PEOPLE_MAIN::Activity Status & PEOPLE_MAIN::Yrs Exp NonBYU & PEOPLE_MAIN::Yrs Exp BYU B4 Hire & PEOPLE_MAIN::Yrs Exp Place Unknown & PEOPLE_MAIN::NetID & PEOPLE_MAIN::BYU ID & PEOPLE_MAIN::Head Unit ID & PEOPLE_MAIN::Home Unit Name & PEOPLE_MAIN::Home Discipline & PEOPLE_MAIN::Jane Notes; 0) & "Date: " & DataGlobals::gTab & "Time: " & DataGlobals::gTab & "AccountName: " & DataGlobals::gTab & "Field: " & DataGlobals::gTab & "From: " & DataGlobals::gTab & "--->" & DataGlobals::gTab & "To:¶----- -----</p> <p>-----¶" & Case (Length (Get (ActiveFieldName))) ; Get (CurrentDate) & DataGlobals::gTab & Get (CurrentTime) & DataGlobals::gTab & Left (Get (AccountName) & " " ; 20) & DataGlobals::gTab & Left (Get (ActiveFieldName) & " " ; 20) & DataGlobals::gTab & Substitute (MiddleValues (PEOPLE_MAIN::Audit Previous; ValueCount (Left ("¶" & PEOPLE_MAIN::Audit Previous; Position (PEOPLE_MAIN::Audit Previous; "¶" & Get (ActiveFieldName) & ">>" ; 1 ; 1))) ; 1) ; ["¶"; ""] ; [Get (ActiveFieldName) & ">>" ; ""]) & DataGlobals::gTab & "--->" & DataGlobals::gTab & If (Length (GetField (Get (ActiveFieldName))) ; Substitute (GetField (Get (ActiveFieldName)) ; "¶"; "±") ; "[Null]") & Case (not IsEmpty (GetField ("Audit Log"))) ; Case (Length (Get (ActiveFieldName)) ; "¶") & Middle (GetField ("Audit Log")) ; Position (GetField ("Audit Log") ; "¶"; 1 ; 2) + 1 ; Length (GetField ("Audit Log")))))</p> <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Audit Previous	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (PEOPLE_MAIN::Audit Log) or not IsEmpty (PEOPLE_MAIN::Audit Log) ; "Person ID" & ">>" & If (IsEmpty (GetField ("Person ID"))) ; "[Null]" ; Substitute (GetField ("Person ID") ; "¶"; "±")) & "¶" & "BYU Person ID" & ">>" & If (IsEmpty (GetField ("BYU Person ID")) ; "[Null]" ; Substitute (GetField ("BYU Person ID") ; "¶"; "±")) & "¶" & "Base Unit ID" & ">>" & If (IsEmpty (GetField ("Base Unit ID")) ; "[Null]" ; Substitute (GetField ("Base Unit ID") ; "¶"; "±")) & "¶" & "Preferred Name" & ">>" & If (IsEmpty (GetField ("Preferred Name")) ; "[Null]" ; Substitute (GetField ("Preferred Name") ; "¶"; "±")) & "¶" & "Last Name" & ">>" & If (IsEmpty (GetField ("Last Name")) ; "[Null]" ; Substitute (GetField ("Last Name") ; "¶"; "±")) & "¶" & "Rest of Name" & ">>" & If (IsEmpty (GetField ("Rest of Name")) ; "[Null]" ; Substitute (GetField ("Rest of Name") ; "¶"; "±")) & "¶" & "Middle Name_Maiden Name" & ">>" & If (IsEmpty (GetField ("Middle Name_Maiden Name")) ; "[Null]" ; Substitute (GetField ("Middle Name_Maiden Name") ; "¶"; "±")) & "¶" & "Suffix" & ">>" & If (IsEmpty (GetField ("Suffix")) ; "[Null]" ; Substitute (GetField ("Suffix") ; "¶"; "±")) & "¶" & "Address" & ">>" & If (IsEmpty (GetField ("Address")) ; "[Null]" ; Substitute (GetField ("Address") ; "¶"; "±")) & "¶" & "Email" & ">>" & If (IsEmpty (GetField ("Email")) ; "[Null]" ; Substitute (GetField ("Email") ; "¶"; "±")) & "¶" & "Phone" & ">>" & If (IsEmpty (GetField ("Phone")) ; "[Null]" ; Substitute (GetField ("Phone") ; "¶"; "±")) & "¶" & "Alt Phone" & ">>" & If (IsEmpty (GetField ("Alt Phone"))) ; "[Null]" ; Substitute (GetField ("Alt Phone") ; "¶"; "±")) & "¶" & "OffCampus Address" & ">>" & If (IsEmpty (GetField ("OffCampus Address")) ; "[Null]" ; Substitute (GetField ("OffCampus Address") ; "¶"; "±")) & "¶" & "Gender" & ">>" & If (IsEmpty (GetField ("Gender")) ; "[Null]" ; Substitute (GetField ("Gender") ; "¶"; "±")) & "¶" & "Age" & ">>" & If (IsEmpty (GetField ("Age")) ; "[Null]" ; Substitute (GetField ("Age") ; "¶"; "±")) & "¶" & "Birthdate" & ">>" & If (IsEmpty (GetField ("Birthdate")) ; "[Null]" ; Substitute (GetField ("Birthdate") ; "¶"; "±")) & "¶" & "Nation of Origin" & ">>" & If (IsEmpty (GetField ("Nation of Origin")) ; "[Null]" ; Substitute (GetField ("Nation of Origin") ; "¶"; "±")) & "¶" & "Ethnicity" & ">>" & If (<p>This field holds the history of immediately previous values to be passed into the log calculation. New/changed fields require editing this field.</p>				

```
IsEmpty ( GetField ( "Ethnicity" ) ) ; "
[Null]"; Substitute ( GetField ( "Ethnicity"
); "¶"; "±" ) ) & "¶" & "Citizenship" & ">>" & If
( IsEmpty ( GetField ( "Citizenship" ) ) ) ; "
[Null]"; Substitute ( GetField ( "Citizenship"
); "¶"; "±" ) ) & "¶" & "Marital Status" & ">>"
& If ( IsEmpty ( GetField ( "Marital Status"
) ) ; "[Null]"; Substitute ( GetField (
"Marital Status" ) ) ; "¶"; "±" ) ) & "¶" &
"Religion" & ">>" & If ( IsEmpty ( GetField (
"Religion" ) ) ; "[Null]"; Substitute (
GetField ( "Religion" ) ; "¶"; "±" ) ) & "¶" &
"Degree" & ">>" & If ( IsEmpty ( GetField (
"Degree" ) ) ; "[Null]"; Substitute (
GetField ( "Degree" ) ; "¶"; "±" ) ) & "¶" &
"PT Job Description" & ">>" & If ( IsEmpty (
GetField ( "PT Job Description" ) ) ; "[Null]";
Substitute ( GetField ( "PT Job Description"
) ) ; "¶"; "±" ) ) & "¶" & "Employee Class" &
">>" & If ( IsEmpty ( GetField ( "Employee
Class" ) ) ; "[Null]"; Substitute ( GetField (
"Employee Class" ) ) ; "¶"; "±" ) ) & "¶" & "RY
Notes" & ">>" & If ( IsEmpty ( GetField (
"RY Notes" ) ) ; "[Null]"; Substitute (
GetField ( "RY Notes" ) ) ; "¶"; "±" ) ) & "¶" &
"Rank" & ">>" & If ( IsEmpty ( GetField (
"Rank" ) ) ; "[Null]"; Substitute ( GetField (
"Rank" ) ) ; "¶"; "±" ) ) & "¶" & "CFS Status" &
">>" & If ( IsEmpty ( GetField ( "CFS
Status" ) ) ; "[Null]"; Substitute ( GetField (
"CFS Status" ) ) ; "¶"; "±" ) ) & "¶" & "First Yr
CFS Track" & ">>" & If ( IsEmpty ( GetField (
"First Yr CFS Track" ) ) ; "[Null]";
Substitute ( GetField ( "First Yr CFS Track"
) ) ; "¶"; "±" ) ) & "¶" & "Track" & ">>" & If (
IsEmpty ( GetField ( "Track" ) ) ; "[Null]";
Substitute ( GetField ( "Track" ) ) ; "¶"; "±" )
) & "¶" & "Yr 3Yr Review" & ">>" & If (
IsEmpty ( GetField ( "Yr 3Yr Review" ) ) ; "
[Null]"; Substitute ( GetField ( "Yr 3Yr
Review" ) ; "¶"; "±" ) ) & "¶" & "Yr 6Yr
Review" & ">>" & If ( IsEmpty ( GetField (
"Yr 6Yr Review" ) ) ; "[Null]"; Substitute (
GetField ( "Yr 6Yr Review" ) ) ; "¶"; "±" ) ) &
"¶" & "Yr CFS Granted" & ">>" & If ( IsEmpty
( GetField ( "Yr CFS Granted" ) ) ; "[Null]";
Substitute ( GetField ( "Yr CFS Granted" ) ) ;
"¶"; "±" ) ) & "¶" & "Yr 1st Rank Adv" & ">>" &
If ( IsEmpty ( GetField ( "Yr 1st Rank Adv"
) ) ; "[Null]"; Substitute ( GetField ( "Yr 1st
Rank Adv" ) ; "¶"; "±" ) ) & "¶" & "Yr 2nd
Rank Adv" & ">>" & If ( IsEmpty ( GetField (
"Yr 2nd Rank Adv" ) ) ; "[Null]"; Substitute
( GetField ( "Yr 2nd Rank Adv" ) ) ; "¶"; "±" )
) & "¶" & "BYU Original Hire Date" & ">>" & If
( IsEmpty ( GetField ( "BYU Original Hire
Date" ) ) ; "[Null]"; Substitute ( GetField (
"BYU Original Hire Date" ) ) ; "¶"; "±" ) ) & "¶"
& "BYU Last Hire Date" & ">>" & If ( IsEmpty
( GetField ( "BYU Last Hire Date" ) ) ; "
[Null]"; Substitute ( GetField ( "BYU Last
Hire Date" ) ; "¶"; "±" ) ) & "¶" & "BYU Last
Hire Year" & ">>" & If ( IsEmpty ( GetField (
"BYU Last Hire Year" ) ) ; "[Null]";
Substitute ( GetField ( "BYU Last Hire Year"
) ) ; "¶"; "±" ) ) & "¶" & "Left BYU Year" & ">>"
& If ( IsEmpty ( GetField ( "Left BYU Year"
) ) ; "[Null]"; Substitute ( GetField ( "Left
BYU Year" ) ) ; "¶"; "±" ) ) & "¶" & "Left BYU
Reason" & ">>" & If ( IsEmpty ( GetField (
"Left BYU Reason" ) ) ; "[Null]"; Substitute (
GetField ( "Left BYU Reason" ) ) ; "¶"; "±" ) )
& "¶" & "BYU History Notes" & ">>" & If (
IsEmpty ( GetField ( "BYU History Notes" )
) ; "[Null]"; Substitute ( GetField ( "BYU
History Notes" ) ; "¶"; "±" ) ) & "¶" &
"Activity Status" & ">>" & If ( IsEmpty (
GetField ( "Activity Status" ) ) ; "[Null]";
Substitute ( GetField ( "Activity Status" ) ;
"¶"; "±" ) ) & "¶" & "Yrs Exp NonBYU" & ">>"
& If ( IsEmpty ( GetField ( "Yrs Exp
NonBYU" ) ) ; "[Null]"; Substitute (
GetField ( "Yrs Exp NonBYU" ) ; "¶"; "±" ) )
& "¶" & "Yrs Exp BYU B4 Hire" & ">>" & If (
IsEmpty ( GetField ( "Yrs Exp BYU B4 Hire"
) ) ; "[Null]"; Substitute ( GetField ( "Yrs
Exp BYU B4 Hire" ) ; "¶"; "±" ) ) & "¶" & "Yrs
Exp Place Unknown" & ">>" & If ( IsEmpty (
GetField ( "Yrs Exp Place Unknown" ) ) ; "
[Null]"; Substitute ( GetField ( "Yrs Exp
Place Unknown" ) ) ; "¶"; "±" ) ) & "¶" & "Yrs
Since BYU Hire" & ">>" & If ( IsEmpty (
GetField ( "Yrs Since BYU Hire" ) ) ; "[Null]";
Substitute ( GetField ( "Yrs Since BYU Hire"
) ) ; "¶"; "±" ) ) & "¶" & "Yrs Exp BYU Total" &
">>" & If ( IsEmpty ( GetField ( "Yrs Exp
BYU Total" ) ) ; "[Null]"; Substitute (
GetField ( "Yrs Exp BYU Total" ) ) ; "¶"; "±" )
) & "¶" & "Yrs Exp Total" & ">>" & If ( IsEmpty
( GetField ( "Yrs Exp Total" ) ) ; "[Null]";
Substitute ( GetField ( "Yrs Exp Total" ) ) ;
"¶"; "±" ) ) & "¶" & "NetID" & ">>" & If (
IsEmpty ( GetField ( "NetID" ) ) ; "[Null]";
Substitute ( GetField ( "NetID" ) ) ; "¶"; "±"
) ) & "¶" & "BYU ID" & ">>" & If ( IsEmpty (
GetField ( "BYU ID" ) ) ; "[Null]";
Substitute ( GetField ( "BYU ID" ) ) ; "¶"; "±"
) ) & "¶" & "Head Unit ID" & ">>" & If (
IsEmpty ( GetField ( "Head Unit ID" ) ) ; "
[Null]"; Substitute ( GetField ( "Head Unit
ID" ) ) ; "¶"; "±" ) ) & "¶" & "Home Unit Name"
& ">>" & If ( IsEmpty ( GetField ( "Home
Unit Name" ) ) ; "[Null]"; Substitute (
```

		GetField ("Home Unit Name") ; "¶"; "+")) & "¶" & "Home Discipline" & ">>" & If (IsEmpty (GetField ("Home Discipline")) ; "[Null]"; Substitute (GetField ("Home Discipline") ; "¶"; "+")) & "¶" & "Jane Notes" & ">>" & If (IsEmpty (GetField ("Jane Notes")) ; "[Null]"; Substitute (GetField ("Jane Notes") ; "¶"; "+"))) Validation: <ul style="list-style-type: none">Always Validate Storage: <ul style="list-style-type: none">Repetitions: 1Indexing: NoneAutomatically create indexes as neededIndex Language: English					
__SUM FIELDS__	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">Repetitions: 1Indexing: NoneAutomatically create indexes as neededIndex Language: English	Summary Fields				
Number of People	Summary, Number	Summary Information: <ul style="list-style-type: none">CountAll togetherSummary field: Person ID					
__ADMIN GLOBALS__	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">Repetitions: 1Indexing: NoneAutomatically create indexes as neededIndex Language: English					
psSelect_EmployeeClass	Normal, Text	Auto-Enter: <ul style="list-style-type: none">Allow editingCalculation: <i>PEOPLE_MAIN</i>::psSelect_EmployeeClass & External ("Menu-PerformScript"; "ps- Refresh Layout") Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">GlobalRepetitions: 1	User selects which employee classes to view in the Unit portals (for both People and Units). Performs SFM script-Refresh Layout. Default: "FT Faculty"				
psSelect_ActivityStatus	Normal, Text	Auto-Enter: <ul style="list-style-type: none">Allow editingCalculation: <i>PEOPLE_MAIN</i>::psSelect_ActivityStatus & External ("Menu-PerformScript"; "ps- Refresh Layout") Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">GlobalRepetitions: 1	User selects which Activity Status to view in the Unit portals (for both People and Units). Performs SFM script-Refresh Layout. Default: "Active"				
gSelect_UnitType	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">GlobalRepetitions: 1	User Entered: Select Unit Type from Value List to view/select desired units [Match Field]. Default: "Department"				
gSelectProgMenuCategory	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">GlobalRepetitions: 1	User can select the Menu Category to see Admin prog/events in that category. Click button to insert "All Categories" to see all of them. Default: "On-going Programs"				
gPeople ID MultiKey	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">GlobalRepetitions: 1	Global to store multiple global IDs to match with Person ID when trying to isolate a found set of people. Default: ""				
gCurrent Account Name	Normal, Text	Validation: <ul style="list-style-type: none">Only during data entry Storage: <ul style="list-style-type: none">Global	Account Name of Current User (used in People related fields to set Record Owner). Default: ""				

		<ul style="list-style-type: none"> Repetitions: 1 					
gIncludeExcludeInvitees	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Value changes based on value in [UserSelectFields::gIncludeorExcludeInvitees]				
gLastError	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Global to put the Last Error code into in order to display the relevant Error Description				
__ADMIN CALCS__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
cLastName Alpha	Calculated, Text	Calculation: <ul style="list-style-type: none"> Left (PEOPLE_MAIN::Last Name; 1) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Calculated: First letter of the Last Name; Used to filter people by last name in portal for Unit Admin				
cLastName Alpha Three	Calculated, Text	Calculation: <ul style="list-style-type: none"> Left (PEOPLE_MAIN::Last Name; 3) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Calculated: First three letters of the Last Name; Used to filter people by last name in portal for Photo selection				
cView gSelectGetField	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (UserSelectFields::gSelectGetField = "Current Title"; Jobs_People::Current Title; UserSelectFields::gSelectGetField = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gSelectGetField = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gSelectGetField = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gSelectGetField = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gSelectGetField = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gSelectGetField = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gSelectGetField = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gSelectGetField = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gSelectGetField = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gSelectGetField = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gSelectGetField = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gSelectGetField = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gSelectGetField = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gSelectGetField = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gSelectGetField = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gSelectGetField = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gSelectGetField)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Displays the value of whatever field is chosen in [UserSelectFields::gSelectGetField]. Allows users to chose their own fields to view.				
cLength of Text	Calculated, Number	Calculation: <ul style="list-style-type: none"> Length (PEOPLE_MAIN::Last Name First) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Can be changed to find the length of text in any field (used to find the longest length).				
cPhoto File Name to Match	Calculated, Text	Calculation:	Insert estimate of what the photo file name for this person will be to try to import Person IDs into Photos.				

		<ul style="list-style-type: none">• Trim (<i>PEOPLE_MAIN::Last Name</i>) & " _ " & Substitute (Trim (<i>PEOPLE_MAIN::Rest of Name</i>) ; " " ; " _ ") & " _2005.jpg"//Substitute (Trim (Last Name) & " _ " & Substitute (Trim (Rest of Name) ; " " ; " _ ") ; " ." ; "") & " _2005.jpg" <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Do not store calculation results					
cText is Invitee	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none">• "Invitee" <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Indexing: Minimal• Automatically create indexes as needed• Index Language: English	"Invitee" for Participant/Presenter Counts				
cYes for Current Photo	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none">• "Yes" <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Indexing: Minimal• Automatically create indexes as needed• Index Language: English	"Yes" for Current Photo				
gConstant1	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none">• 1 <p>Storage:</p> <ul style="list-style-type: none">• Global• Repetitions: 1	Used in relationship to find all photos with Person ID's (Person ID > than this field)				
cCurrent Spring Seminar	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none">• 36 <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Indexing: All	The Event ID of the current Spring Seminar to match in FDSPlus file for lists for chairs				
cCurrent Fall Seminar	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none">• 447 <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Indexing: All	The Event ID of the current Fall Seminar to match in FDSPlus file for lists for chairs				
--PROG ADMIN--	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry <p>Storage:</p> <ul style="list-style-type: none">• Repetitions: 1• Indexing: None• Automatically create indexes as needed• Index Language: English					
gFind Program Title	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry <p>Storage:</p> <ul style="list-style-type: none">• Global• Repetitions: 1	Field to hold Program Title to be searched to Find Participants of that Program. Also used for Value List. Default: ""				
gFind Event Title	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry <p>Storage:</p> <ul style="list-style-type: none">• Global• Repetitions: 1	Field to hold Event Title to be searched to Find Participants of that Event. Also used for Value List. Default: ""				
gFind Person Role	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry <p>Storage:</p> <ul style="list-style-type: none">• Global• Repetitions: 1	Field to hold Person Role to be searched to Find Participants. Default: ""				
gAdd Program Title	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry• Strict validation <p>Storage:</p> <ul style="list-style-type: none">• Global• Repetitions: 1	Global inserted through scripts or chosen by user to select Program to add participants to. Also used for Value List. Default: ""				
gAdd Event Title	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none">• Only during data entry• Strict validation <p>Storage:</p>	Global inserted through scripts or chosen by user to select Event to add participants to. Vital for exporting to Participants. Default: ""				

		<ul style="list-style-type: none"> Global Repetitions: 1 					
gIDEvtToAdd	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When I tried to make this a global calculation, it didn't work (for unknown reasons), so I'm going to set it when it is needed.				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				
---Stats---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
cBase Unit Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (zscPeople_BU_EmpCl_ActivityStatus::Person ID) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Total count of people in unit based on the Employee Class(es) chosen by the user.				
cHead Unit Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (zscPeople_HU_EmpCl_ActivityStatus::Person ID) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Total count of people in unit based on the Employee Class(es) chosen by the user.				
cInvitee Count	Calculated, Number	Calculation:	Number of times this person has been a participant in an Event (either invitee or attendee)				

		<ul style="list-style-type: none"> Case (not IsValid (zParticipants_P_CountAll::Participant ID); 0; Count (zParticipants_P_CountAll::Participant ID)) /*If this person is not a participant in any event, 0, otherwise, the count*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					
cAttendee Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (not IsValid (zParticipants_P_CountNOInvitees::Participant ID); 0; Count (zParticipants_P_CountNOInvitees::Participant ID)) /*If there are No Attendees (non-Invitees), 0, otherwise, the count*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Number of times this person has been marked as an non-Invitee in an Event				
cPresenter Invitee Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (not IsValid (zPresenters_P_CountAll::Presenter ID); 0; Count (zPresenters_P_CountAll::Presenter ID)) /*If this person is not a participant in any event, 0, otherwise, the count*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Number of times this person has been a presenter in an Event (either invitee or attendee)				
cPresenter Attendee Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (not IsValid (zPresenters_P_CountNOInvitees::Presenter ID); 0; Count (zPresenters_P_CountNOInvitees::Presenter ID)) /*If there are No Attendees (non-Invitees), 0, otherwise, the count*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Number of times this person has been marked as an non-Invitee in an Event				
cAdministrator Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (not IsValid (zEvtAdmin_P_CountAll::Person ID); 0; Count (zEvtAdmin_P_CountAll::Person ID)) /*If the person is not listed as an administrator for any event, 0, otherwise, the count*/ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Number of times this person has been marked as Administrator in an Event				
cPhoto Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (IsEmpty (Photos_People::Photo ID) ; "0" ; Count (Photos_People::Photo ID)) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Number of Photos from this Person				
---EXPORT---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Export Field 1	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (UserSelectFields::gPeople Export 1 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 1 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 1 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 1 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 1 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 1 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 1 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 1 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 1 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 1 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 1 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 1 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 1 = "Head 	Contains value of field selected by the user to export				

		Unit Short"; <i>Units_HUDData_P::</i> Unit Short; <i>UserSelectFields::</i> gPeople Export 1 = "HU Head"; <i>People_HUHead_P::</i> Full Name; <i>UserSelectFields::</i> gPeople Export 1 = "HU Head Phone"; <i>People_HUHead_P::</i> Phone; <i>UserSelectFields::</i> gPeople Export 1 = "HU Head Address"; <i>People_HUHead_P::</i> Address; <i>UserSelectFields::</i> gPeople Export 1 = "HU Head Email"; <i>People_HUHead_P::</i> Email; GetField (<i>UserSelectFields::</i> gPeople Export 1)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 				
Export Field 2	Calculated, Text	Calculation: <ul style="list-style-type: none"> • Case (<i>UserSelectFields::</i>gPeople Export 2 = "Current Title"; <i>Jobs_People::</i>Current Title; <i>UserSelectFields::</i>gPeople Export 2 = "Unit Type"; <i>Units_BU_P::</i>Unit Type; <i>UserSelectFields::</i>gPeople Export 2 = "Base Unit"; <i>Units_BU_P::</i>Unit Name; <i>UserSelectFields::</i>gPeople Export 2 = "Base Unit Abbrev"; <i>Units_BU_P::</i>Unit Abbrev; <i>UserSelectFields::</i>gPeople Export 2 = "Base Unit Short"; <i>Units_BU_P::</i>Unit Short; <i>UserSelectFields::</i>gPeople Export 2 = "BU Head"; <i>People_BUHead_P::</i>Full Name; <i>UserSelectFields::</i>gPeople Export 2 = "BU Head Phone"; <i>People_BUHead_P::</i>Phone; <i>UserSelectFields::</i>gPeople Export 2 = "BU Head Address"; <i>People_BUHead_P::</i>Address; <i>UserSelectFields::</i>gPeople Export 2 = "BU Head Email"; <i>People_BUHead_P::</i>Email; <i>UserSelectFields::</i>gPeople Export 2 = "Head Unit Type"; <i>Units_HUDData_P::</i>Unit Type; <i>UserSelectFields::</i>gPeople Export 2 = "Head Unit"; <i>Units_HUDData_P::</i>Unit Name; <i>UserSelectFields::</i>gPeople Export 2 = "Head Unit Abbrev"; <i>Units_HUDData_P::</i>Unit Abbrev; <i>UserSelectFields::</i>gPeople Export 2 = "Head Unit Short"; <i>Units_HUDData_P::</i>Unit Short; <i>UserSelectFields::</i>gPeople Export 2 = "HU Head"; <i>People_HUHead_P::</i>Full Name; <i>UserSelectFields::</i>gPeople Export 2 = "HU Head Phone"; <i>People_HUHead_P::</i>Phone; <i>UserSelectFields::</i>gPeople Export 2 = "HU Head Address"; <i>People_HUHead_P::</i>Address; <i>UserSelectFields::</i>gPeople Export 2 = "HU Head Email"; <i>People_HUHead_P::</i>Email; GetField (<i>UserSelectFields::</i>gPeople Export 2)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Contains value of field selected by the user to export			
Export Field 3	Calculated, Text	Calculation: <ul style="list-style-type: none"> • Case (<i>UserSelectFields::</i>gPeople Export 3 = "Current Title"; <i>Jobs_People::</i>Current Title; <i>UserSelectFields::</i>gPeople Export 3 = "Unit Type"; <i>Units_BU_P::</i>Unit Type; <i>UserSelectFields::</i>gPeople Export 3 = "Base Unit"; <i>Units_BU_P::</i>Unit Name; <i>UserSelectFields::</i>gPeople Export 3 = "Base Unit Abbrev"; <i>Units_BU_P::</i>Unit Abbrev; <i>UserSelectFields::</i>gPeople Export 3 = "Base Unit Short"; <i>Units_BU_P::</i>Unit Short; <i>UserSelectFields::</i>gPeople Export 3 = "BU Head"; <i>People_BUHead_P::</i>Full Name; <i>UserSelectFields::</i>gPeople Export 3 = "BU Head Phone"; <i>People_BUHead_P::</i>Phone; <i>UserSelectFields::</i>gPeople Export 3 = "BU Head Address"; <i>People_BUHead_P::</i>Address; <i>UserSelectFields::</i>gPeople Export 3 = "BU Head Email"; <i>People_BUHead_P::</i>Email; <i>UserSelectFields::</i>gPeople Export 3 = "Head Unit Type"; <i>Units_HUDData_P::</i>Unit Type; <i>UserSelectFields::</i>gPeople Export 3 = "Head Unit"; <i>Units_HUDData_P::</i>Unit Name; <i>UserSelectFields::</i>gPeople Export 3 = "Head Unit Abbrev"; <i>Units_HUDData_P::</i>Unit Abbrev; <i>UserSelectFields::</i>gPeople Export 3 = "Head Unit Short"; <i>Units_HUDData_P::</i>Unit Short; <i>UserSelectFields::</i>gPeople Export 3 = "HU Head"; <i>People_HUHead_P::</i>Full Name; <i>UserSelectFields::</i>gPeople Export 3 = "HU Head Phone"; <i>People_HUHead_P::</i>Phone; <i>UserSelectFields::</i>gPeople Export 3 = "HU Head Address"; <i>People_HUHead_P::</i>Address; <i>UserSelectFields::</i>gPeople Export 3 = "HU Head Email"; <i>People_HUHead_P::</i>Email; GetField (<i>UserSelectFields::</i>gPeople Export 3)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Contains value of field selected by the user to export			
Export Field 4	Calculated, Text	Calculation:	Contains value of field selected by the user to export			

		<ul style="list-style-type: none"> Case (<i>UserSelectFields::gPeople Export 4 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 4 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 4 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 4 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 4 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 4 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 4 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 4 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 4 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 4 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 4 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 4 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 4 = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gPeople Export 4 = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gPeople Export 4 = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gPeople Export 4 = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gPeople Export 4 = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gPeople Export 4)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</i> <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 				
Export Field 5	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPeople Export 5 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 5 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 5 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 5 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 5 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 5 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 5 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 5 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 5 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 5 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 5 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 5 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 5 = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gPeople Export 5 = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gPeople Export 5 = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gPeople Export 5 = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gPeople Export 5 = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gPeople Export 5)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</i> <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Contains value of field selected by the user to export			
Export Field 6	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPeople Export 6 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 6 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 6 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 6 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 6 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 6 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 6 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 6 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 6 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 6 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 6 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 6 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 6 = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gPeople Export 6 = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gPeople Export 6 = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gPeople Export 6 = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gPeople Export 6 = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gPeople Export 6)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</i> 	Contains value of field selected by the user to export			

		<p><i>UserSelectFields::gPeople Export 6 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev;</i> <i>UserSelectFields::gPeople Export 6 = "Head Unit Short"; Units_HUDData_P::Unit Short;</i> <i>UserSelectFields::gPeople Export 6 = "HU Head"; People_HUHead_P::Full Name;</i> <i>UserSelectFields::gPeople Export 6 = "HU Head Phone"; People_HUHead_P::Phone;</i> <i>UserSelectFields::gPeople Export 6 = "HU Head Address"; People_HUHead_P::Address;</i> <i>UserSelectFields::gPeople Export 6 = "HU Head Email"; People_HUHead_P::Email;</i> GetField (<i>UserSelectFields::gPeople Export 6</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</p> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 				
Export Field 7	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPeople Export 7 = "Current Title"; Jobs_People::Current Title;</i> <i>UserSelectFields::gPeople Export 7 = "Unit Type"; Units_BU_P::Unit Type;</i> <i>UserSelectFields::gPeople Export 7 = "Base Unit"; Units_BU_P::Unit Name;</i> <i>UserSelectFields::gPeople Export 7 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev;</i> <i>UserSelectFields::gPeople Export 7 = "Base Unit Short"; Units_BU_P::Unit Short;</i> <i>UserSelectFields::gPeople Export 7 = "BU Head"; People_BUHead_P::Full Name;</i> <i>UserSelectFields::gPeople Export 7 = "BU Head Phone"; People_BUHead_P::Phone;</i> <i>UserSelectFields::gPeople Export 7 = "BU Head Address"; People_BUHead_P::Address;</i> <i>UserSelectFields::gPeople Export 7 = "BU Head Email"; People_BUHead_P::Email;</i> <i>UserSelectFields::gPeople Export 7 = "Head Unit Type"; Units_HUDData_P::Unit Type;</i> <i>UserSelectFields::gPeople Export 7 = "Head Unit"; Units_HUDData_P::Unit Name;</i> <i>UserSelectFields::gPeople Export 7 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev;</i> <i>UserSelectFields::gPeople Export 7 = "Head Unit Short"; Units_HUDData_P::Unit Short;</i> <i>UserSelectFields::gPeople Export 7 = "HU Head"; People_HUHead_P::Full Name;</i> <i>UserSelectFields::gPeople Export 7 = "HU Head Phone"; People_HUHead_P::Phone;</i> <i>UserSelectFields::gPeople Export 7 = "HU Head Address"; People_HUHead_P::Address;</i> <i>UserSelectFields::gPeople Export 7 = "HU Head Email"; People_HUHead_P::Email;</i> GetField (<i>UserSelectFields::gPeople Export 7</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Contains value of field selected by the user to export			
Export Field 8	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPeople Export 8 = "Current Title"; Jobs_People::Current Title;</i> <i>UserSelectFields::gPeople Export 8 = "Unit Type"; Units_BU_P::Unit Type;</i> <i>UserSelectFields::gPeople Export 8 = "Base Unit"; Units_BU_P::Unit Name;</i> <i>UserSelectFields::gPeople Export 8 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev;</i> <i>UserSelectFields::gPeople Export 8 = "Base Unit Short"; Units_BU_P::Unit Short;</i> <i>UserSelectFields::gPeople Export 8 = "BU Head"; People_BUHead_P::Full Name;</i> <i>UserSelectFields::gPeople Export 8 = "BU Head Phone"; People_BUHead_P::Phone;</i> <i>UserSelectFields::gPeople Export 8 = "BU Head Address"; People_BUHead_P::Address;</i> <i>UserSelectFields::gPeople Export 8 = "BU Head Email"; People_BUHead_P::Email;</i> <i>UserSelectFields::gPeople Export 8 = "Head Unit Type"; Units_HUDData_P::Unit Type;</i> <i>UserSelectFields::gPeople Export 8 = "Head Unit"; Units_HUDData_P::Unit Name;</i> <i>UserSelectFields::gPeople Export 8 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev;</i> <i>UserSelectFields::gPeople Export 8 = "Head Unit Short"; Units_HUDData_P::Unit Short;</i> <i>UserSelectFields::gPeople Export 8 = "HU Head"; People_HUHead_P::Full Name;</i> <i>UserSelectFields::gPeople Export 8 = "HU Head Phone"; People_HUHead_P::Phone;</i> <i>UserSelectFields::gPeople Export 8 = "HU Head Address"; People_HUHead_P::Address;</i> <i>UserSelectFields::gPeople Export 8 = "HU Head Email"; People_HUHead_P::Email;</i> GetField (<i>UserSelectFields::gPeople Export 8</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/ <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Contains value of field selected by the user to export			

Export Field 9	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPeople Export 9 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 9 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 9 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 9 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 9 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 9 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 9 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 9 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 9 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 9 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 9 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 9 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 9 = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gPeople Export 9 = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gPeople Export 9 = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gPeople Export 9 = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gPeople Export 9 = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gPeople Export 9)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Contains value of field selected by the user to export				
Export Field 10	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPeople Export 10 = "Current Title"; Jobs_People::Current Title; UserSelectFields::gPeople Export 10 = "Unit Type"; Units_BU_P::Unit Type; UserSelectFields::gPeople Export 10 = "Base Unit"; Units_BU_P::Unit Name; UserSelectFields::gPeople Export 10 = "Base Unit Abbrev"; Units_BU_P::Unit Abbrev; UserSelectFields::gPeople Export 10 = "Base Unit Short"; Units_BU_P::Unit Short; UserSelectFields::gPeople Export 10 = "BU Head"; People_BUHead_P::Full Name; UserSelectFields::gPeople Export 10 = "BU Head Phone"; People_BUHead_P::Phone; UserSelectFields::gPeople Export 10 = "BU Head Address"; People_BUHead_P::Address; UserSelectFields::gPeople Export 10 = "BU Head Email"; People_BUHead_P::Email; UserSelectFields::gPeople Export 10 = "Head Unit Type"; Units_HUDData_P::Unit Type; UserSelectFields::gPeople Export 10 = "Head Unit"; Units_HUDData_P::Unit Name; UserSelectFields::gPeople Export 10 = "Head Unit Abbrev"; Units_HUDData_P::Unit Abbrev; UserSelectFields::gPeople Export 10 = "Head Unit Short"; Units_HUDData_P::Unit Short; UserSelectFields::gPeople Export 10 = "HU Head"; People_HUHead_P::Full Name; UserSelectFields::gPeople Export 10 = "HU Head Phone"; People_HUHead_P::Phone; UserSelectFields::gPeople Export 10 = "HU Head Address"; People_HUHead_P::Address; UserSelectFields::gPeople Export 10 = "HU Head Email"; People_HUHead_P::Email; GetField (UserSelectFields::gPeople Export 10)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the People table*/</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Contains value of field selected by the user to export				
__KEEPBOTTOM__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Access restricted field causes problems when importing fields created after this field (created 1.27.05)				
Jane Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PEOPLE_MAIN::Jane Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage:	Any notes about this person that only Jane can see.				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
IMPORT FIELDS	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Utility fields to use for importing				
Data Imported	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	Temporarily hold any data that has been imported that I want to check against other data				
Compare Data Imported	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Case (Length (LeftWords (PEOPLE_MAIN::Rest of Name ; 1) > 1) ; PatternCount (PEOPLE_MAIN::Middle Name_Maiden Name ; LeftWords (PEOPLE_MAIN::Rest of Name ; 1))) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Calc used to compare any two fields to see if they match up				
---TEMP---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Temp	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Length (PEOPLE_MAIN::Full Name) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					

Table Name: Jobs - 24 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Always Validate • Not empty • Strict validation • Value list: All People IDs • Error message: The Person ID is either blank or contains a Person ID that does not exist in the Person table. Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-entered via creation of record in People				
---CURRENT---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Current Title	Calculated, Text	Calculation: <ul style="list-style-type: none"> • /*THIS PERSON'S CURRENT TITLE. CHECKS TO SEE WHETHER THE PERSON IS STILL IN THE POSITION BY CHECKING [YR NOT VALID] AND [LAST YEAR]; IF THERE ARE NO VALUES IN THOSE FIELDS, THEN IT GETS THE MOST RECENT [TITLE]*/ If (IsEmpty (GetRepetition(Jobs_Self_People::Yr NotValid; 1)) and IsEmpty (GetRepetition(Jobs_Self_People::Last Yr; 1)); GetRepetition (Jobs_Self_People::Jobs Title; 1); "") Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Calculated: If the Title is still current, this is First Year of this Title.				
Current Jobs Unit	Calculated, Text	Calculation:	Calculated: If the person is still in this Title, this is the Unit the title refers to.				

		<ul style="list-style-type: none"> /*THIS PERSON'S ADMIN UNIT. CHECKS TO SEE WHETHER THE PERSON IS STILL IN THE POSITION BY CHECKING [YR NOT VALID] AND [LAST YEAR]; IF THERE ARE NO VALUES IN THOSE FIELDS, THEN IT GETS THE MOST RECENT [UNIT]*/ If(IsEmpty (GetRepetition(Jobs_Self_People::Yr NotValid; 1)) and IsEmpty (GetRepetition(Jobs_Self_People::Last Yr; 1))); GetRepetition (Jobs_Self_People::Jobs Unit; 1); "" <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					
Current Jobs Notes	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> /*THIS PERSON'S CURRENT DUTIES. CHECKS TO SEE WHETHER THE PERSON IS STILL IN THE POSITION BY CHECKING [YR NOT VALID] AND [LAST YEAR]; IF THERE ARE NO VALUES IN THOSE FIELDS, THEN IT GETS THE MOST RECENT [DUTIES]*/ If(IsEmpty(GetRepetition(Jobs_Self_People::Yr NotValid; 1)) and IsEmpty(GetRepetition(Jobs_Self_People::Last Yr; 1))); GetRepetition(Jobs_Self_People::Jobs Notes; 1); "" <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: If the Title is still current, this is this person's current notes/duties.				
Recent Unit	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> /*GETS MOST RECENT [UNIT]*/ GetRepetition (Jobs_Self_People::Jobs Unit; 1) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: The most recent value in Unit for this person. Used to update Base Unit in Modify Admin Layout.				
Recent First Yr	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> /*GETS THE MOST RECENT [FIRST YR]*/ GetRepetition(Jobs_Self_People::First Yr; 1) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: The most recent value in First Year for this person.				
Recent Yr Valid	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> /*GETS THE MOST RECENT [YR VALID]*/ GetRepetition(Jobs_Self_People::Yr Valid; 1) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: If the Title is still current, this is the first year this Title was known to be valid.				
Recent Last Yr	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> /*GETS THE MOST RECENT [LAST YR]*/ GetRepetition(Jobs_Self_People::Last Yr; 1) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: The last year of the person's most recent Title.				
Recent Yr NotValid	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> /*GETS THE MOST RECENT [YR NOTVALID]*/ GetRepetition(Jobs_Self_People::Yr NotValid; 1) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: The last recorded Yr NotValid of the person's most recent Title.				
New Title?	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> /*INDICATES IF TITLE IS NEW DURING LAST ACADEMIC YEAR*/ Case (not IsEmpty (Jobs_People::Recent Last Yr) or not IsEmpty (Jobs_People::Recent Yr NotValid); "" ; not IsEmpty (Jobs_People::Current Title) and Jobs_People::Recent First Yr = Year (Get (CurrentDate)); "NEW"; not IsEmpty (Jobs_People::Current Title) and Jobs_People::Recent First Yr = Year (Get (CurrentDate)) - 1 and Month (Get (CurrentDate)) < 8; "NEW") /*OLD CALCULATIONS Case (not IsEmpty (Recent Last Yr) or not IsEmpty (Recent Yr NotValid); "" ; not IsEmpty (Current Title) and Recent First Yr = Year (Get (CurrentDate)); "New in " & Year (Get (CurrentDate)); not IsEmpty (Current Title) and Recent First Yr = Year (Get (CurrentDate)) - 1 and Month (Get (CurrentDate)) < 8; "New in " & (Year (Get (CurrentDate))-1)) */ <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: If this Title is new this academic year, the value should be "New in [Year]"				

--- HISTORICAL- --	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Jobs Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Jobs_People::Jobs Title</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List: Title/Name of Position				
Jobs Unit	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (<i>Jobs_People::Jobs Unit</i>) ; <i>Units_BU_P::Unit Name</i> ; Unformat (<i>Jobs_People::Jobs Unit</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Auto-entered from People, can be changed: Unit the Title relates to				
Jobs Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Jobs_People::Jobs Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Notes/duties/responsibilities of this person at time of Title				
First Yr	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Jobs_People::First Yr</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List: The first year this Title is valid for this person				
Yr Valid	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: If (not IsEmpty (<i>Jobs_People::First Yr</i>) ; <i>Jobs_People::First Yr</i> ; Unformat (<i>Jobs_People::Yr Valid</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Auto-entered based on First Yr or Can be User Entered				
Last Yr	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Jobs_People::Last Yr</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered via Value List: The last year this Title is valid for this person				
Yr NotValid	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: If (not IsEmpty (<i>Jobs_People::Last Yr</i>) ; <i>Jobs_People::Last Yr</i> ; Unformat (<i>Jobs_People::Yr NotValid</i>)) Validation:	Auto-entered based on Last Yr or Can be User Entered				

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				

Table Name: Awards - 10 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All People IDs Error message: The Person ID is either blank or contains a Person ID that does not exist in the Person table. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered via creation of record in People				
Award	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered directly or via Value List				
Awarder	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing 	Auto-entered if the Award matches an award in Award				

		<ul style="list-style-type: none"> Calculation: Case (IsEmpty (<i>Awards_People::Awarder</i>) ; <i>AwardDescriptions::Awarder</i> ; Unformat (<i>Awards_People::Awarder</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Descriptions or User entered.				
Award Description	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (<i>Awards_People::AwardDescription</i>) ; <i>AwardDescriptions::AwardDescription</i> ; Unformat (<i>Awards_People::AwardDescription</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-entered if the Award matches an award in Award Descriptions or User entered.				
Year	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Awards_People::Year</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage:	Auto-generated				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 	Auto-generated				

Table Name: AwardDescriptions - 8 Fields

Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Award	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>AwardDescriptions::Award</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Title of Award to match the one in the Awards Table				
Awarder	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>AwardDescriptions::Awarder</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	The Organization that gives this Award				
Award Description	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>AwardDescriptions::Award Description</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	Description of Award				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation:					

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

Table Name: BioData - 14 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All People IDs Error message: The Person ID is either blank or contains a Person ID that does not exist in the Person table. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered via creation of record in People				
Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>BioData_People::Category</i>) Validation: <ul style="list-style-type: none"> Only during data entry Value list: Bio Data Categories Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List				
Data	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>BioData_People::Data</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered				
Source	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>BioData_People::Source</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered				
Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Creation date Allow editing 	User Entered: Date the data is current				

		<ul style="list-style-type: none"> Calculation: Unformat (Date (Month (BioData_People::Date); Day (BioData_People::Date); Year (BioData_People::Date))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
---ADMIN---	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Record Owner	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>PeopleControl_AccountName::Record Owner</i> <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Account Name of person who owns this record (the Record Owner determines who can edit this record)				
Record Editor	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Proper (Get (AccountName)) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Name of person who can edit this record (initially set as the record creator, but can be changed)				
Open Editing	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>PeopleControl_BioData_RecordOwner::Open Editing</i> //On creation, if the Record Owner allows Open Editing, this field will also be marked Open Editing (it can also be set on a record by record basis) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Yes = This record can be edited by anyone. Initial value determined by Record Owner preference.				
---MOD DATA---	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Creation account name Allow editing <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				

Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				

Table Name: Expertise - 14 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All People IDs Error message: The Person ID is either blank or contains a Person ID that does not exist in the Person table. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered via creation of record in People				
Area of Expertise	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Expertise_People::Area of Expertise</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List				
Comments	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Expertise_People::Comments</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered				
Comments by	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (<i>Expertise_People::Comments by</i>) ; Proper (Get (AccountName)) ; Unformat (<i>Expertise_People::Comments by</i>)) Validation: <ul style="list-style-type: none"> Only during data entry 	Auto-generated				

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> • Creation date • Allow editing • Calculation: Unformat (Date (Month (Expertise_People::Date); Day (Expertise_People::Date); Year (Expertise_People::Date))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 	Auto-generated				
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Record Owner	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	Account Name of person who owns this record (the Record Owner determines who can edit this record)				
Record Editor	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Name of person who can edit this record (initially set as the record creator, but can be changed)				
Open Editing	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Yes = This record can be edited by anyone. Initial value determined by Record Owner preference.				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp 	Auto-generated				

		<ul style="list-style-type: none"> Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				

Table Name: Students - 25 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Student ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Serial: Generate: On creation, Next value: 121, Increment: 1 Validation: <ul style="list-style-type: none"> Always Validate Strict data type: Numeric Not empty Unique Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated serial number				
Full Name	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>STUDENTS_MAIN::Rest of Name & " " & STUDENTS_MAIN::Last Name</i> Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Last Name First	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>STUDENTS_MAIN::Last Name & ", " & STUDENTS_MAIN::Rest of Name</i> Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Rest of Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Trim (<i>STUDENTS_MAIN::Rest of Name</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	First and Middle Names				

Last Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Trim (STUDENTS_MAIN::Last Name)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Preferred Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (STUDENTS_MAIN::Preferred Name) ; Case (PatternCount (STUDENTS_MAIN::Rest of Name ; " ") = 0 and PatternCount (STUDENTS_MAIN::Rest of Name ; " ") = 0 ; PatternCount (STUDENTS_MAIN::Rest of Name ; PatternCount (STUDENTS_MAIN::Rest of Name ; " ") = 0 and PatternCount (STUDENTS_MAIN::Rest of Name ; " ") = 1 ; Middle (STUDENTS_MAIN::Rest of Name ; Position (STUDENTS_MAIN::Rest of Name ; " " ; 1 ; 1) + 1 ; STUDENTS_MAIN::Rest of Name) ; Position (STUDENTS_MAIN::Rest of Name ; " " ; 1 ; 1) = 2 ; Middle (STUDENTS_MAIN::Rest of Name ; Position (STUDENTS_MAIN::Rest of Name ; " " ; 1 ; 1) + 1 ; Length (STUDENTS_MAIN::Rest of Name) - Position (STUDENTS_MAIN::Rest of Name ; " " ; 1 ; 1)) ; Left (STUDENTS_MAIN::Rest of Name ; Position (STUDENTS_MAIN::Rest of Name ; " " ; 1 ; 1) - 1)) ; Unformat (STUDENTS_MAIN::Preferred Name)) //Assuming [Preferred Name] is Empty: Extracts the Name out of [First of Name], depending on whether there is an initial and where the initial is. //Case 1: No initial and no space //Case 2: No initial and 1 space //Case 3: Initial after first letter //Case 4: All other cases //Middle (text ; start ; numberOfCharacters) //Position (text ; searchString ; start ; occurrence) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
---CONTACT-- -	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Phone	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (STUDENTS_MAIN::Phone) Validation: <ul style="list-style-type: none"> Only during data entry Storage:					

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Address	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Address</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Email	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Email</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
---DEMOG---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Gender	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Gender</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Value list: Gender Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Student Status	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Student Status</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Major	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Major</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Hometown	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>STUDENTS_MAIN::Hometown</i>) Validation:					

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>STUDENTS_MAIN::Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Total Days	Calculated, Number	Calculation: <ul style="list-style-type: none"> Sum (<i>StudentDates::Number of Days</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Adds all the days worked at all positions at the Faculty Center				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
cPhoto File Name	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>STUDENTS_MAIN::Last Name</i> & " " & Substitute (Trim (<i>STUDENTS_MAIN::Rest of Name</i>) ; " " ; " _ ") Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Guess calculation of the photo file name; used to try to match photos with people				
cText is Yes for Current Photo	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Yes" Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	"Yes" text used to link to current photo				

Table Name: StudentJobs - 17 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Student ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Value list: All Student IDs Error message: The Student ID is either blank or contains a Student ID that does not exist in the Student table. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Supervisor	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::Supervisor</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Job Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::Job Title</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Job Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::Job Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
First Semester	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::First Semester</i>) 					

		Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Last Semester	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::Last Semester</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
First Year	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::First Year</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Last Year	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>StudentJobs::Last Day</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
First Day	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>StudentJobs::First Day</i>); Day (<i>StudentJobs::First Day</i>); Year (<i>StudentJobs::First Day</i>)) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Last Day	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>StudentJobs::Last Day</i>); Day (<i>StudentJobs::Last Day</i>); Year (<i>StudentJobs::Last Day</i>)) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Number of Days	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Case (IsEmpty(StudentJobs::Last Day); Get (CurrentDate) - StudentJobs::First Day; (StudentJobs::Last Day - StudentJobs::First Day)) //If the student is still working at the Faculty Center, returns the current number of days since Start Date; otherwise, returns total number of days from start to end. Must be unstored to work Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					

Table Name: StudentDates - 10 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Student ID	Normal, Number	Validation:					

		<ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Student IDs Error message: The Student ID is either blank or contains a Student ID that does not exist in the Student table. <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
First Date	Normal, Date	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Date (<i>StudentDates::First Date</i>); Day (<i>StudentDates::First Date</i>); Year (<i>StudentDates::First Date</i>)) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Last Date	Normal, Date	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Date (<i>StudentDates::Last Date</i>); Day (<i>StudentDates::Last Date</i>); Year (<i>StudentDates::Last Date</i>)) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Notes	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Number of Days	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Case (IsEmpty (<i>StudentDates::First Date</i>); "" ; IsEmpty (<i>StudentDates::Last Date</i>); Get (<i>CurrentDate</i>) - <i>StudentDates::First Date</i> ; (<i>StudentDates::Last Date</i> - <i>StudentDates::First Date</i>)) //If the student is still working at the Faculty Center, returns the current number of days since Start Date; otherwise, returns total number of 					

		days from start to end. Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					

Table Name: Units - 37 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Unit ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Serial: Generate: On creation, Next value: 266, Increment: 1 Validation: <ul style="list-style-type: none"> • Always Validate • Strict data type: Numeric • Not empty • Unique • Strict validation 	Auto-generated serial number				

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Head Unit ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Base Unit ID is selected by the user from Units Table via script to be the Head Unit for another unit.				
---UNIT---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Unit Name	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Name</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Unique • Error message: Another unit in the database has the same Unit Name. Unit Names must be unique. Please check to see whether you are trying to enter a unit that already exists in the database. Thanks! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Unit Full	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Full</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Unit Abbrev	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>UNITS_MAIN::Unit Abbrev</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Unique • Strict validation • Maximum data length: 17 • Error message: The Unit Abbrev field cannot be empty and cannot be over 17 characters. It must also be a unique value (not used by any other Unit). Come up with the best abbrev you can think of. Thanks! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered: Must be 17 characters or less				
Unit Short	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Short</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Unique • Strict validation • Maximum data length: 6 • Error message: The Unit Short field cannot be empty and cannot be over 6 characters. It must also be a unique value (not used by any other Unit). Come up with the best abbrev you can think of. Thanks! Storage:	User Entered -- Must be 6 characters or less				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Unit Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Type</i>) Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: Unit Type • Error message: Choose Unit Type from the Value List. If an appropriate value is not listed, tell Jane. Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Unit Fax	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Fax</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Unit URL	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit URL</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Unit Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>Units_HUDData_U::Unit Notes</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	User Entered any notes about this unit that doesn't fit any where else, especially notes about the unit history.				
Activity Status	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Do not replace existing value for field (if any) • Calculation: "Active" Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Active = Unit still active; Inactive = Unit not longer active				
---STAFF ID---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Unit Head ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	User selected from People Table via script				
Unit Sec ID	Normal,	Validation:	User selected				

	Number	<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	from People Table via script				
Unit AcctRep ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User selected from People Table via script				
-HIERARCHY-	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Unit History	Calculated, Text	Calculation: <ul style="list-style-type: none"> If(IsEmpty(UNITS_MAIN::Head Unit ID); UNITS_MAIN::Unit ID; UNITS_MAIN::Head Unit History & "¶" & UNITS_MAIN::Unit ID) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated				
Head Unit History	Calculated, Text	Calculation: <ul style="list-style-type: none"> Units_HUData_U::Unit History Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated				
Admin Level	Calculated, Number	Calculation: <ul style="list-style-type: none"> ValueCount (UNITS_MAIN::Unit History) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated				
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gIDMultiKey	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to store multiple Unit IDs (to send faxes to multiple Units, ?)				
gSelect_Alpha BU Person	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Alpha global for User to select People to view when modifying Base Unit Staff.				
gSelect_BU Person to Add	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Global for User to select Base Unit Staff position to modify: BU Head, Secretary, or Acct Rep				
gSelect_UnitType	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Global for User to select Unit Type from Value List to view/select desired units when modifying Head Unit.				
cLength of Text	Calculated, Number	Calculation: <ul style="list-style-type: none"> Length (UNITS_MAIN::Unit Abbrev) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None 	Used to find length of values in any field.				

		<ul style="list-style-type: none"> Automatically create indexes as needed 					
gcActive	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Active" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Value = "Active" to be able to filter out people who have left BYU. (used in Unit Staff portal)				
gcFTPTStaff	Calculated, Text	Calculation: <ul style="list-style-type: none"> "FT Staff"PT Staff" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Value = "FT Staff"PT Staff" Used in Unit Staff portal to show only staff				
gUnit ID MultiKey	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to hold multiple Unit IDs to isolate and find those units.				
cCount Pasted Unit IDs	Calculated, Number	Calculation: <ul style="list-style-type: none"> PatternCount (Units_HUDData_U::gUnit ID MultiKey ; "¶" & Units_HUDData_U::Unit ID & "¶") Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify Timestamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage:	Auto-generated				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
---TEMP---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
TEMP	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					

Table Name: Programs - 56 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Serial: Generate: On creation, Next value: 85, Increment: 1 Validation: <ul style="list-style-type: none"> • Always Validate • Not empty • Unique • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-generated serial number				
__PROG DATA__	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Menu Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Menu Category) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered via Value List (the type of Faculty Center program this is)				
Program Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Program Title) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Program Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Program Type) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered via Value List				
Program Topics	Normal,	Auto-Enter:	User Entered via				

	Text	<ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Program Topics) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Value List				
Primary Topic	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Primary Topic) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List				
Description	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Description) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered				
Historical Notes	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Historical Notes) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered				
Program URL	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Program URL) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered				
Primary Audience	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Primary Audience) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered via Value List				
Secondary Audience	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN</i>::Secondary Audience) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 	User Entered via Value List				

		<ul style="list-style-type: none"> Indexing: All Index Language: English 					
__PROG DATES__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Sort Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>PROGRAMS_MAIN::Sort Date</i>); Day (<i>PROGRAMS_MAIN::Sort Date</i>); Year (<i>PROGRAMS_MAIN::Sort Date</i>))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: First known event date (estimate if not known). Used to sort programs chronologically.				
First Semester	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN::First Semester</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: First semester of actual implementation				
First Year	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN::First Year</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	User Entered: First year of actual implementation				
Last Semester	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN::Last Semester</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: Last semester of actual implementation				
Last Year	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN::Last Year</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: Last year of actual implementation				
Event Timing	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PROGRAMS_MAIN::Event Timing</i>) 	User Entered: A natural description of when and how often events in this program occur.				

		Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
----GLOBALS----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Set according to user selection and used to make sure only related records are shown and manipulated.				
psMenu Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>PROGRAMS_MAIN::psMenu Category & External</i> ("Menu-PerformScript"; "ps-Select Menu Category in Main Menu and Show Programs") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Category menu on Programs Main Menu				
gID Program	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Set to be the current ID as selected by the user from Programs Main Menu or via scripts.				
gID Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (<i>PROGRAMS_MAIN::gID Program</i> ; "") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Set to be the current ID as selected by the user from Programs Main Menu or via scripts.				
gID Activity	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Set to be the current ID as selected by the user from Programs Main Menu or via scripts.				
gID Person	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (<i>PROGRAMS_MAIN::gID Event</i> ; "") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Person ID as selected by the user using a zid TO or via scripts.				
gID Presenter	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Set to be the current ID as selected by the user from Programs Main Menu or via scripts.				
gID Participant	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Set to be the current ID as selected by the user from Programs Main Menu or via scripts.				
gID Base Unit	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage:	GLOBAL: Set to be the current ID as selected by the user from Programs Main				

		<ul style="list-style-type: none"> Global Repetitions: 1 	Menu or via scripts.				
---UI GLOBALS---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Globals used to facilitate User Interface				
gProgram Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <code>zPrograms_gIDprogram::Program Title</code> Lookup: <code>PROGRAMS_MAIN::Program Title</code>, Do not copy, Don't copy contents if empty Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Lookup: Changes whenever gID Program changes				
gEvent Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Lookup: <code>EVENTS_MAIN::Event Title</code>, Do not copy, Don't copy contents if empty Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Lookup: Changes whenever gID Event changes				
---SFM PS---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	SFM Perform Scripts				
psAdd Person to Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (not IsEmpty (<code>PROGRAMS_MAIN::psAdd Person to Event</code>) ; <code>PROGRAMS_MAIN::psAdd Person to Event & External</code> ("Menu-PerformScript"; "ps-Add One Participant to Current Event")) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	SFM Perform Script: Person Name selected by user is added to the current Event				
psAdd Participant Contact	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (not IsEmpty (<code>PROGRAMS_MAIN::psAdd Participant Contact</code>) ; <code>PROGRAMS_MAIN::psAdd Participant Contact & External</code> ("Menu-PerformScript"; "ps-Add New Contact for Event Participant or Unit")) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Contact is added to Participant selected by the user				
psAdd Base Unit Contact	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (not IsEmpty (<code>PROGRAMS_MAIN::psAdd Base Unit Contact</code>) ; <code>PROGRAMS_MAIN::psAdd Base Unit Contact & External</code> ("Menu-PerformScript"; "ps-Add New 	GLOBAL: Contact is added to the Base Unit selected by the user				

		<p>Contact for Event Participant or Unit"))</p> <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 					
psAdd ParticipantAndContact	Normal, Text	<p>Auto-Enter:</p> <ul style="list-style-type: none"> Allow editing Calculation: Case (not IsEmpty (<i>PROGRAMS_MAIN</i>::psAdd ParticipantAndContact) ; <i>PROGRAMS_MAIN</i>::psAdd ParticipantAndContact & External ("Menu-PerformScript"; "ps-Add Participant AND Contact to Event")) <p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	GLOBAL: Person selected by User is added as a Participant and New Contact is created				
---STATS---	Normal, Text	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
cAdmin Invited Sum	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::Admin Invited) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Sum of Admin-determined Total Invited for each Event for this Program				
cAdmin Attended Sum	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::Admin Attended) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Sum of Admin-determined Total Attended for each Event for this Program				
cInvitees	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::cInvited Count) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated number of participants for all Events for this Program.				
cAttendees	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::cAttended Count) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Total number of participants invited (Person Role ≠ Invitee) for all Events for this Program.				
cParticipant Contact Sum	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::cParticipant Contacts Count) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Sum of contacts linked to Participants for all events in this Program.				
cUnit Contacts Sum	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::cUnit Contacts Count) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Sum of contacts linked to Units (NOT Participants) for all events in this Program.				
cMisc Contacts Sum	Calculated, Number	<p>Calculation:</p> <ul style="list-style-type: none"> Sum (<i>EVENTS_MAIN</i>::cMisc Contacts Count) <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Sum of contacts NOT linked to Units or Participants for all events in this Program.				

Number of Events	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Case (not IsValid (<i>EVENTS_MAIN</i>::Event ID); 0; Count (<i>EVENTS_MAIN</i>::Event ID)) //If there are no Events in the Program, the relationship will not be valid; Insert "0" into the Count Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Calculates the total number of related Event records.				
----ADMIN----	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
CheckMarkContainer	Calculated, Binary	Calculation: <ul style="list-style-type: none"> • If (<i>PROGRAMS_MAIN</i>::Program ID = <i>PROGRAMS_MAIN</i>::gID Program; <i>DataGlobals</i>::gRedCheckmark; "") Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Container for Checkmark for Selected Program.				
Constant 1	Calculated, Number	Calculation: <ul style="list-style-type: none"> • 1 Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Value used during Find operations to locate ALL Program Records.				
gcFDSPlus Programs	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "112131751761" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Program IDs for Programs that have unique data in FDSPlus.fp7				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Auto-generated				

Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
---TEMP---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
TEMP	Calculated, Number	Calculation: <ul style="list-style-type: none"> ValueCount (FieldNames (Get (FileName) ; "Basic Data Find")) Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

Table Name: Events - 54 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Serial: Generate: On creation, Next value: 725, Increment: 1 Validation: <ul style="list-style-type: none"> Always Validate Not empty Unique Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated serial number				
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>PROGRAMS_MAIN::</i>Program ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Program IDs Error message: This Event is not Attached to a valid Program! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered through scripts when Event records are created.				
___ EVT DATA ___	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Event Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::</i>Event Title) Validation: <ul style="list-style-type: none"> Only during data entry Unique Strict validation Error message: There is already an Event with this same title. Please choose a different one. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered				
Event Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::</i>Event Type) 	User Entered via Value List				

		Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Event Description	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Event Description</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User Entered: Purpose of the event & Brief outline of the event and activities				
Event URL	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Event URL</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered				
Sort Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (Date (Month (<i>EVENTS_MAIN::Sort Date</i>); Day (<i>EVENTS_MAIN::Sort Date</i>); Year (<i>EVENTS_MAIN::Sort Date</i>))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> Only during data entry Range: 1/1/1900 - 1/1/3000 Error message: This field is used to sort Events chronologically. Enter the actual date of the event or some other logical date for this to sort properly. (You can add explanations in the "Date.Time.Place" field.) Thanks!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	The date of the event (or the first date if more than one activities). Estimate if not known. Used to sort chronologically.				
Semester	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Case(Month (<i>EVENTS_MAIN::Sort Date</i>) \geq 1 and Month (<i>EVENTS_MAIN::Sort Date</i>) \leq 4; "Winter"; Month (<i>EVENTS_MAIN::Sort Date</i>) \geq 5 and Month (<i>EVENTS_MAIN::Sort Date</i>) \leq 6; "Spring"; Month (<i>EVENTS_MAIN::Sort Date</i>) \geq 7 and Month (<i>EVENTS_MAIN::Sort Date</i>) \leq 8; "Summer"; Month (<i>EVENTS_MAIN::Sort Date</i>) \geq 9 and Month (<i>EVENTS_MAIN::Sort Date</i>) \leq 12; "Fall") Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Value list: Semesters Error message: Choose the semester of the event (or the first semester of the event if there are more than one semesters) from the drop-down list. You can add explanations in the "Date/Time/Place" field. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	The semester of the event (or the first semester if there are more than one activities).				
Year	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Year(<i>EVENTS_MAIN::Sort Date</i>) Validation: <ul style="list-style-type: none"> Only during data entry Strict data type: Numeric Strict validation Range: 1900 - 3000 Error message: Enter the year this event took place (or the first year if it goes beyond one year). You can add explanations in the "Date/Time/Place" field. Thanks!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	The year this event took place in (or the first year if it goes beyond one year).				
Dates.Times.Places	Normal, Text	Auto-Enter:	User Entered. To be used in				

		<ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Dates.Times.Places</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	publicity.				
Event Publicity	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Event Publicity</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: Description of Publicity used for this event.				
Event Innovations	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Event Innovations</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Description of any important innovations to the event				
Evaluation Info	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Evaluation Info</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: Description of steps taken to evaluate the event				
Future Plans	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Future Plans</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: Description of future plans for this event or events to follow				
RSVP_Attend Values Group ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Constant data: 1 Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Users can choose the type of RSVP Labels to use through this field. User can also create new labels.				
___ EVT STATS ___	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Admin Invited	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>EVENTS_MAIN::cInvited Count</i> Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Admin entered number of participants invited.				

Admin Attended	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>EVENTS_MAIN::cAttended Count</i> Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Admin entered number of participants attended.				
Attendance Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Attendance Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Admin entered notes to clarify the Attendance figures.				
Cost Approx	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Cost Approx</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Approximate cost of the Event				
Cost Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EVENTS_MAIN::Cost Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Notes about the cost of the Event				
cInvited Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (IsEmpty (<i>zParticipants_EvtStats_Invitees_NOAdmin::Participant ID</i>); 0; Count (<i>zParticipants_EvtStats_Invitees_NOAdmin::Participant ID</i>)) /*All Participants in the Event are counted except for those marked "Admin." FC personnel should be marked "Admin." If there are no Participants in the Event, the Count will be "0" */ Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated number of participants (exclude Person Role = Admin for FC Admin)				
cAttended Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Case (IsEmpty (<i>zParticipants_EvtStats_Participants_NOInviteesAdmin::Participant ID</i>); 0; Count (<i>zParticipants_EvtStats_Participants_NOInviteesAdmin::Participant ID</i>)) /*This is a count of all the Participants for this Event where Person Role ≠ Invitee. If there are no non-Invitees in the Event, the Count will be "0" Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Total number of participants invited (Person Role ≠ Invitee)				
cParticipant Contacts Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (<i>Contacts_Main::Contact ID</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Total number of contacts linked to Participants for this event.				
cUnit Contacts Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (<i>zcContacts_Evts_NoPartID::Contact ID</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Total number of contacts linked to Units (and not to participants) for this event.				
cMisc Contacts Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (<i>zcContacts_Evts_NoPartorUnitID::Contact ID</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Total number of contacts not linked to Units or participants for this event.				

cActivity Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Case (IsEmpty (<i>ACTIVITIES_MAIN</i>::Activity ID); 0; Count (<i>ACTIVITIES_MAIN</i>::Activity ID)) //If there are no Activities in the Event, the Count will be "0" Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Total number of activities linked to event.				
cPresenter Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Case (IsEmpty (<i>PRESENTERS_MAIN</i>::Presenter ID); 0; Count (<i>PRESENTERS_MAIN</i>::Presenter ID)) //If there are no Presenters in the Event, the Count will be "0" Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Calculated number of presenters.				
----FOUND SET----	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Found Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> • Get (FoundCount) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Total number of records in the Found Set.				
Percent of Total	Calculated, Number	Calculation: <ul style="list-style-type: none"> • <i>EVENTS_MAIN</i>::Found Count / <i>PROGRAMS_MAIN</i>::cNumber of Events Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Percent of Records Found out of Total				
--EVT AUTHORIZATION--	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Event Owners	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>EVENTS_MAIN</i>::Event Owners) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	The name of the person/people who controls which users can make what changes to the records of this Event.				
Event Lock	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Constant data: 0 • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	[0] = Event is unlocked and can be deleted; [1] = Event is Locked and can't be deleted; Auto-Enter = 0 (UnLocked)				
Evt Unlocked Today	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	If the Event is Unlocked, a [0] will be inserted into this field so user can be reminded to lock it back up (if they don't remember).				
cEvent Lock Display	Calculated, Binary	Calculation: <ul style="list-style-type: none"> • GetRepetition (<i>DataGlobals</i>::gLocked Unlocked ; <i>EVENTS_MAIN</i>::Event Lock + 1) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 	Displays an icon to show whether an Event is Locked (0), or not unlocked (1).				
gCurrent Account Name	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry 	Account Name of the current user (inserted at startup in				

		Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	both People and Programs Startup Scripts)				
cCurrent User Authorization	Calculated, Text	Calculation: <ul style="list-style-type: none"> Case (PatternCount (<i>EVENTS_MAIN::</i>Event Owners ; Get (AccountName)); TextStyleAdd (Proper (Get (AccountName)) & " - Authorized¶" ; Bold) & "The current user is an event owner and is authorized to add/modify privileges in this event." ; PatternCount (<i>DataGlobals::</i>cJane's Account Name ; Get (AccountName)); TextStyleAdd (Proper (Get (AccountName)) & " - Authorized¶" ; Bold) & "The current user is authorized to¶add/modify privileges in this event." ; TextStyleAdd (Proper (Get (AccountName)) & " - Not Authorized¶" ; Bold) & "The current user is not an event owner and is not authorized to add/modify privileges in this event.") Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Displays the current user's Account Name and whether the user is an Event Owners.				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
----ADMIN----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Contacts directly connected to events should not have a Part ID; this blank field matches the blank Part ID for the relationship.				
CheckMarkContainer	Calculated, Binary	Calculation: <ul style="list-style-type: none"> If (<i>EVENTS_MAIN::</i>Event ID = <i>PROGRAMS_MAIN::</i>gID Event; <i>DataGlobals::</i>gRedCheckmark; "") Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Container for Checkmark for Selected Event.				

FDS Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (<i>EVENTS_MAIN</i>::Event Title = "Spring Seminar") ; PatternCount (<i>EVENTS_MAIN</i>::Event Title ; "Spring Seminar") ; "FDS Spring Seminar" ; PatternCount (<i>EVENTS_MAIN</i>::Event Title ; "Mentoring") ; "FDS Mentoring" ; PatternCount (<i>EVENTS_MAIN</i>::Event Title ; "FDS Projects") ; "FDS Projects" ; PatternCount (<i>EVENTS_MAIN</i>::Event Title ; "FDS Banquet") ; "FDS Banquet")) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Identifies the type of FDS Program the Associated Event is (SS, Mentoring, Projects, Banquet) so that all of the same type can be used in matches.				
----CONSTANTS----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gcInviteeAdminText	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Invitee¶Admin" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	The words "Invitee" and "Admin" to match with Participant Table so that everyone except Invitees and Admin can be counted as Attendees.				
gcAdminText	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Admin" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	The word "Admin" to match with Participant Table so that everyone except Admin can be counted as Participants.				
gZero	Calculated, Number	Calculation: <ul style="list-style-type: none"> 0 Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Value is "0" [zero] Used to match complex contact relationships where some ID fields need to not have a regular ID value.				
constant 1	Calculated, Number	Calculation: <ul style="list-style-type: none"> 1 Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Value used during Find operations to locate ALL Event Records (for Event Lists)				
----TEMP----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
TEMP	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					

Table Name: Assoc Events - 2 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Event ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Foreign key				
Associate Event ID	Normal, Number	Validation:	The Event ID associated with the Event				

		<ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	connected to the Event ID (use to associate FDS events with each other)				
--	--	--	---	--	--	--	--

Table Name: Event Seating Dates - 7 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Event ID	Normal, Number	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Seating 1 Date	Normal, Date	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating 2 Date	Normal, Date	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating 3 Date	Normal, Date	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating 4 Date	Normal, Date	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating 5 Date	Normal, Date	<p>Validation:</p> <ul style="list-style-type: none"> Only during data entry <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating Chart Header Text	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (PatternCount (<i>Participant</i> <i>Seating::gSelected</i> <i>Seating ; "1") ;</i> DayName (<i>Event</i> <i>Seating</i> <i>Dates::Seating 1</i> <i>Date) & " , " &</i> MonthName (<i>Event Seating</i> <i>Dates::Seating 1</i> <i>Date) & " " & Day</i> <i>(Event Seating</i> <i>Dates::Seating 1</i> <i>Date) & " Seating"</i> ; PatternCount (<i>Participant</i> <i>Seating::gSelected</i> <i>Seating ; "2") ;</i> DayName (<i>Event</i> 					

		<div>Seating</div> <div>Dates::Seating 2</div> <div>Date) & " , " &</div> <div>MonthName (</div> <div>Event Seating</div> <div>Dates::Seating 2</div> <div>Date) & " " & Day</div> <div>(Event Seating</div> <div>Dates::Seating 2</div> <div>Date) & " Seating"</div> <div>; PatternCount (</div> <div>Participant</div> <div>Seating::gSelected</div> <div>Seating ; "3") ;</div> <div>DayName (Event</div> <div>Seating</div> <div>Dates::Seating 3</div> <div>Date) & " , " &</div> <div>MonthName (</div> <div>Event Seating</div> <div>Dates::Seating 3</div> <div>Date) & " " & Day</div> <div>(Event Seating</div> <div>Dates::Seating 3</div> <div>Date) & " Seating"</div> <div>; PatternCount (</div> <div>Participant</div> <div>Seating::gSelected</div> <div>Seating ; "4") ;</div> <div>DayName (Event</div> <div>Seating</div> <div>Dates::Seating 4</div> <div>Date) & " , " &</div> <div>MonthName (</div> <div>Event Seating</div> <div>Dates::Seating 4</div> <div>Date) & " " & Day</div> <div>(Event Seating</div> <div>Dates::Seating 4</div> <div>Date) & " Seating"</div> <div>; PatternCount (</div> <div>Participant</div> <div>Seating::gSelected</div> <div>Seating ; "5") ;</div> <div>DayName (Event</div> <div>Seating</div> <div>Dates::Seating 5</div> <div>Date) & " , " &</div> <div>MonthName (</div> <div>Event Seating</div> <div>Dates::Seating 5</div> <div>Date) & " " & Day</div> <div>(Event Seating</div> <div>Dates::Seating 5</div> <div>Date) & " Seating"</div> <div>)</div> <div>Storage:</div> <div><ul style="list-style-type: none">• Repetitions: 1• Do not store calculation results</div>				
--	--	--	--	--	--	--

Table Name: Activities - 28 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Activity ID	Normal, Number	<div>Auto-Enter:</div> <ul style="list-style-type: none">• Serial: Generate: On creation, Next value: 1537, Increment: 1 <div>Validation:</div> <ul style="list-style-type: none">• Always Validate• Not empty• Unique• Strict validation <div>Storage:</div> <ul style="list-style-type: none">• Repetitions: 1• Indexing: All	Auto-generated serial number				
Event ID	Normal, Number	<div>Validation:</div> <ul style="list-style-type: none">• Only during data entry• Not empty• Strict validation• Value list: All Event IDs• Error message: This Activity is not Attached to a valid Event! Please inform Jane!! <div>Storage:</div> <ul style="list-style-type: none">• Repetitions: 1• Indexing: All	Auto-entered through scripts when Activity records are created.				
Program ID	Normal, Number	<div>Auto-Enter:</div> <ul style="list-style-type: none">• Allow editing• Calculation: <div>EVENTS_MAIN::Program ID</div> <div>Validation:</div> <ul style="list-style-type: none">• Only during data entry• Not empty• Strict validation• Value list: All Program IDs• Error message: This Participant is not Attached to a valid Program!	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				

		Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
___ ACT DATA ___	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Activity Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ACTIVITIES_MAIN</i>::Activity Title) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered				
Activity Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ACTIVITIES_MAIN</i>::Activity Type) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	User Entered via Value List				
Activity Description	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ACTIVITIES_MAIN</i>::Activity Description) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered: Description of the activity				
Order	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	User Entered: Used to ordered the Activities in Portals, esp. where there is no "Activity Date"				
Activity Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (Date (<i>ACTIVITIES_MAIN</i>::Activity Date); Day (<i>ACTIVITIES_MAIN</i>::Activity Date); Year (<i>ACTIVITIES_MAIN</i>::Activity Date))) //Reformats the date so that no matter how the user enters the date, the date will be formatted: 9/2/2004. Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	User Entered: Date of the activity				
Begin Time	Normal, Time	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ACTIVITIES_MAIN</i>::Begin Time) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 	User Entered: Beginning time of the activity				

End Time	Normal, Time	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>ACTIVITIES_MAIN::End Time</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	User Entered: Ending time of the activity				
Total Time	Calculated, Time	Calculation: <ul style="list-style-type: none"> <i>ACTIVITIES_MAIN::End Time</i> - <i>ACTIVITIES_MAIN::Begin Time</i> Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Calculated: Total time of the activity				
Activity Location	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>ACTIVITIES_MAIN::Activity Location</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Location of the activity				
Date.Time.Place	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>ACTIVITIES_MAIN::Date.Time.Place</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	User Entered: Full description of date, time, place to use in emails.				
Activity Media_and_Handouts	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>ACTIVITIES_MAIN::Activity Media_and_Handouts</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Media Needs & List of handouts used for the activity				
Evaluation Info	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>ACTIVITIES_MAIN::Evaluation Info</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User Entered: Description of steps taken to evaluate the activity				
___ADMIN___	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

		<ul style="list-style-type: none"> Index Language: English 					
gBegin Date	Normal, Date	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When filtering list of Activities to view, begin with this date.				
gEnd Date	Normal, Date	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When filtering list of Activities to view, end with this date.				
gProgram Title	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When finding activities to view, use this value.				
gEvent Title	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When finding activities to view, use this value.				
gActivity Title	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	When finding activities to view, use this value.				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation:	Auto-generated				

		<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
---TEMP---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					

Table Name: Presenters - 35 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Presenter ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Serial: Generate: On creation, Next value: 1515, Increment: 1 Validation: <ul style="list-style-type: none"> Always Validate Not empty Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated serial number				
Person ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: If(<i>PRESENTERS_MAIN::Person ID</i> < "a"; <i>PRESENTERS_MAIN::Person ID</i>; <i>zidPeople_Presenters_Activities::Person ID</i>) //If Person ID < "a" it must be a number, so leave the value as it is typed in, otherwise, Uses an additional TO to generate the Person ID based on the Last Name First value chosen by user in a pop-up list. Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered through scripts when Participant records are created.				
Activity ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Activity IDs Error message: This Presenter does not have a valid Activity ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered through scripts when Participant records are created or added later by User.				
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>ACTIVITIES_MAIN::Event ID</i> //Can't use Event_Main::Event ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Event IDs Error message: This Presenter does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Value auto-entered based on Activity ID. Useful sometimes for Admin purposes.				
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>ACTIVITIES_MAIN::Program ID</i> //Can't use Event_Main::Program ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Program IDs 	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				

		<ul style="list-style-type: none"> Error message: This Presenter does not have a valid Program ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
--INVITE & RSVP--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Person Role	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Case (IsEmpty (<i>PRESENTERS_MAIN::Person Role</i>) ; "Presenter" ; Unformat (<i>PRESENTERS_MAIN::Person Role</i>)) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Invite Data	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Invite Data</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
RSVP	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::RSVP</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
RSVP Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::RSVP Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
--PRESENTATION--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Presentation Title	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Presentation Title</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					

Media	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Media</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Handouts	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Handouts</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Location	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Location</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Food RSVP	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Food RSVP</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Group	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Group</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Thank You Sent	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
--EVALUATION--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 					

		<ul style="list-style-type: none"> Indexing: None Automatically create indexes as needed Index Language: English 					
Admin Comments	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Admin Comments</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Comments about the presentation made by the event administrator				
Participant Comments	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Participant Comments</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Comments about the presentation made by the event participants				
Presenter Rating	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Presenter Rating</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Numerical Rating received on evaluation of this presentation				
Highest Possible Rating	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Highest Possible Rating</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Highest possible rating received on evaluation of this presentation				
Survey n	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PRESENTERS_MAIN::Survey n</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	# of people who rated this presentation on the survey				
---FOUND SET---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Found Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Get (FoundCount) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Based on the Layout, calculates the total number of records in the Found Set.				
Percent of Total	Calculated, Number	Calculation: <ul style="list-style-type: none"> <i>PRESENTERS_MAIN::Found Count</i> / <i>EVENTS_MAIN::cPresenter Count</i> Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Percent of Presenter Record Found out of Total Number of Presenters				

--MOD DATA--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				
----ADMIN----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
cYes for Current Photo	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Yes" Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	"Yes" = This is the photo to use for this person; To have the right photo appear.				

Table Name: PresentersContacts - 15 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
PresenterContact ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Serial: Generate: On creation, Next value: 117, Increment: 1 Validation: <ul style="list-style-type: none"> Always Validate Not empty Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None 	Auto-generated serial number				

		<ul style="list-style-type: none"> Automatically create indexes as needed 					
Presenter ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Presenter IDs Error message: This Presenter Contact does not have a valid Presenter ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Text Indexed Auto-entered through scripts when PresenterContact records are created.				
Activity ID	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: //Can't use ACTIVITIES_MAIN::Activity ID or PRESENTERS_MAIN::Activity ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Activity IDs Error message: This Presenter Contact does not have a valid Activity ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: PRESENTERS_MAIN::Event ID //Can't use ACTIVITIES_MAIN::Event ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Event IDs Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
___CONT DATA___	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Contact Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PresentersContacts::Contact Type</i>) /* Contact Type Contact Purpose Contact Subject Contact Date Date Indexed, Auto-enter calculation: from CONTACTS_MAIN, = Get (CurrentDate), replaces existing value, Allow user to override validation, Only allow values of type: "4-Digit Year Date", Message: "Please enter four digits for the year (i.e. "2001")". Thanks!" Current Date is Auto-entered but can be changed by the User. --- MOD DATA--- Text Creator Text Auto-enter: "Creation Name" Auto-generated Creation TimeStamp Timestamp Indexed, Auto-enter: "Creation Timestamp (Date and Time)" Auto-generated Modifier Text Auto-enter: "Modification Name" Auto-generated Modify TimeStamp Timestamp Auto-enter: "Modification Timestamp 					

		(Date and Time)" Auto-generated ---ADMIN--- Text gContact Date Date Global, Auto-enter calculation: from CONTACTS_MAIN, = Get (CurrentDate) gContact Purpose Text Global gContact Type Text Global */ Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Contact Purpose	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PresentersContacts::Contact Purpose</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Contact Subject	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PresentersContacts::Contact Subject</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Contact Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Current Date is Auto-entered but can be changed by the User.				
---MOD DATA---	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> Only during data entry Strict data type: 4 digit year Strict validation Error message: "Please enter four digits for the year (i.e. "2001"). Thanks!" Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> Only during data entry Strict validation 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Creation Timestamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing • Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> • Only during data entry • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing • Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> • Only during data entry • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify Timestamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing • Calculation: Get (CurrentDate) Validation: <ul style="list-style-type: none"> • Only during data entry • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
----ADMIN----	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					

Table Name: Participants - 76 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Participant ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Serial: Generate: On creation, Next value: 14981, Increment: 1 Validation: <ul style="list-style-type: none"> • Always Validate • Not empty • Unique • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-generated serial number				
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: <i>EVENTS_MAIN::Event ID</i> Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Event IDs • Error message: This Participant is not Attached to a valid Event! Please inform Jane!! Storage:	Auto-entered through scripts when Participant records are created.				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Person ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All People IDs • Error message: This Participant does not have a valid Person ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-entered through scripts when Participant records are created.				
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: <i>EVENTS_MAIN::Program ID</i> Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Program IDs • Error message: This Participant is not Attached to a valid Program! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				
---DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Person Role	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::Person Role</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered via Value List				
Group	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::Group</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Admin can use this field in any way they choose.				
Invite Data	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::Invite Data</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Date (or other data) of the invitation to participate				
RSVP	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::RSVP</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User Entered via Value List				
RSVP Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::RSVP Notes</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage:	User Entered				

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Reason No	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Reason No) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Reason why the person RSVP'ed "No"				
Reason No Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Reason No Category) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Category of reason why the person chose not to attend (categories determined by the administrator)				
Reinvite Data	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Reinvite Data) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Any data about inviting this person to a similar event in the future				
Evaluation	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Evaluation) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Data about the participants' evaluation of the event.				
__LOOKEDUP__	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Rank at Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Do not replace existing value for field (if any) • Calculation: If (Year (Get (CurrentDate)) = <i>EVENTS_MAIN</i>::Year ; <i>People_Participants</i>::Rank) //If this participant is created during the same year as the event, then use the current Rank for this value. Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Auto-Entered: Participant's faculty rank at the time of this event.				
Status at Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Do not replace existing value for field (if any) • Calculation: If (Year (Get (CurrentDate)) = <i>EVENTS_MAIN</i>::Year ; <i>People_Participants</i>::CFS Status) //If this participant is created during the same year as the event, then use the current CFS Status for this value. Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	Auto-Entered: Participant's CFS status at the time of this event.				
---ATTENDANCE---	Normal,	Validation:					

	Text	<ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Attend 1	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 1</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 1.				
Attend 2	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 2</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 2.				
Attend 3	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 3</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 3.				
Attend 4	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 4</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 4.				
Attend 5	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 5</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 5.				
Attend 6	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 6</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Attendance for Activity 6.				
Attend 7	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attend 7</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Attendance for Activity 7.				
Attend 8	Normal,	Auto-Enter:	Attendance for Activity 8.				

	Text	<ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 8) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Attend 9	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 9) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Attendance for Activity 9.				
Attend 10	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 10) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Attendance for Activity 10.				
Attend 11	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 11) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 11.				
Attend 12	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 12) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Attendance for Activity 12.				
Attend 13	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 13) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Attendance for Activity 13.				
Attend 14	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 14) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Attendance for Activity 14.				
Attend 15	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN</i>::Attend 15) Validation: <ul style="list-style-type: none"> Only during data entry Storage:	Attendance for Activity 15.				

		<ul style="list-style-type: none">• Repetitions: 1• Indexing: Minimal• Automatically create indexes as needed• Index Language: English					
Attendance Total	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none">• /*The first part calculates how many times the participant attended an activity, either in full or in part*/ 0 + If (LeftWords (PARTICIPANTS_MAIN::Attend 1 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 1 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 2 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 2 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 3 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 3 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 4 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 4 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 5 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 5 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 6 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 6 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 7 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 7 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 8 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 8 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 9 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 9 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 10 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 10 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 11 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 11 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 12 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 12 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 13 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 13 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 14 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 14 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 15 ; 1) = "Full" or LeftWords (PARTICIPANTS_MAIN::Attend 15 ; 1) = "Part" ; 1 ; 0) & "/" & /*The second part calculates how many times the participant was eligible to attend an activity,*/ 0 + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 1) and Left (PARTICIPANTS_MAIN::Attend 1 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 2) and Left (PARTICIPANTS_MAIN::Attend 2 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 3) and Left (PARTICIPANTS_MAIN::Attend 3 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 4) and Left (PARTICIPANTS_MAIN::Attend 4 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 5) and Left (PARTICIPANTS_MAIN::Attend 5 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 6) and Left (PARTICIPANTS_MAIN::Attend 6 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 7) and Left (PARTICIPANTS_MAIN::Attend 7 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 8) and Left (PARTICIPANTS_MAIN::Attend 8 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 9) and Left (PARTICIPANTS_MAIN::Attend 9 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 10) and Left (PARTICIPANTS_MAIN::Attend 10 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 11) and Left (PARTICIPANTS_MAIN::Attend 11 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 12) and Left (PARTICIPANTS_MAIN::Attend 12 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 13) and Left (PARTICIPANTS_MAIN::Attend 13 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 14) and Left (PARTICIPANTS_MAIN::Attend 14 ; 3) # "N/A" ; 1 ; 0) + If (not IsEmpty (PARTICIPANTS_MAIN::Attend 15) and Left (PARTICIPANTS_MAIN::Attend 15 ; 3) # "N/A" ; 1 ; 0) & /*The third part calculates whether the participant ever attended an activity in Part; if the participant did attend an activity in Part, it calculates how many times in Part*/ If (PatternCount (LeftWords (PARTICIPANTS_MAIN::Attend 1 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 2 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 3 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 4 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 5 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 6 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 7 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 8 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 9 ; 1) & " " & LeftWords (PARTICIPANTS_MAIN::Attend 10 ; 1) & LeftWords (PARTICIPANTS_MAIN::Attend 11 ; 1) & LeftWords (PARTICIPANTS_MAIN::Attend 12 ; 1) & LeftWords (PARTICIPANTS_MAIN::Attend 13 ; 1) & LeftWords (PARTICIPANTS_MAIN::Attend 14 ; 1) & LeftWords (PARTICIPANTS_MAIN::Attend 15 ; 1) ; "Part") > 0 ; "Part-" & 0 + If (LeftWords (PARTICIPANTS_MAIN::Attend 1 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 2 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 3 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 4 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 5 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 6 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 7 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 8 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 9 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 10 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 11 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 12 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 13 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 14 ; 1) = "Part" ; 1 ; 0) + If (LeftWords (PARTICIPANTS_MAIN::Attend 15 ; 1) = "Part" ; 1 ; 0)	Calculation based on the 10 Participant Attendance fields.				
		<p>Storage:</p>					

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Attendance Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>PARTICIPANTS_MAIN::Attendance Notes</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 	User notes on Attendance.				
db Attendance_MS Works	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	Attendance as Noted in the MS works db, to compare with the calculations to double-check for accuracy				
Part SS Sessions	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	From MS Works-SS Attendance, to compare with the calculations to double-check for accuracy				
SS Lunch with Mentor	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	From MS Works--Should be imported into one of the Attendance Fields--need to designate one field?_				
mntr brkfst during ss	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	From MS Works				
Mentor SS Sessions	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	From MS Works				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-generated				

Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-generated				
---FOUND SET---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Found Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Get (FoundCount) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Based on the Layout, calculates the total number of records in the Found Set.				
Percent of Total	Calculated, Number	Calculation: <ul style="list-style-type: none"> <i>PARTICIPANTS_MAIN</i>::Found Count / <i>EVENTS_MAIN</i>::cInvited Count Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Percent of Records Found out of Total				
---CONTACTS---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gContact Purpose	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields</i>::psContact Purpose //Used to create a complex match Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Auto filled to equal [UserSelectFields::gContact Purpose] via SFM ps script; Used to create a complex match to Count the number of contact that match.				
cContact Count	Calculated, Number	Calculation: <ul style="list-style-type: none"> Count (<i>zContacts_gContactPurpose_ToCountContactsForThisPurpose</i>::Part ID) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated based on gContact Purpose. Shows the number of contacts for the selected purpose.				
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gIDParticipant	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to insert Participant ID to find the related Participant using a TO, so the found set is not disturbed				

gIDPart MultiKey	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to insert multiple Participant IDs to find the Participants in Participants				
gPartOtherData	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>PARTICIPANTS_MAIN::gPartOtherData</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	User can select any Category to view only the data for that Category.				
gCheckMarkContainer	Calculated, Binary	Calculation: <ul style="list-style-type: none"> If (<i>PARTICIPANTS_MAIN::Participant ID</i> = <i>PROGRAMS_MAIN::gID Participant</i>; <i>DataGlobals::gRedCheckmark</i>; "") Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Container for Checkmark for Selected Participant				
cDuplicate People in Events	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>PARTICIPANTS_MAIN::Event ID</i> & " " & <i>PARTICIPANTS_MAIN::Person ID</i> //this is the OLD formula, but now I don't know why I used the Part ID. There must be a reason! If (Event ID = <i>PROGRAMS_MAIN::gID Event</i>; Event ID; Participant ID) & " " & Person ID Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calculated: Person ID and Event ID used to search for Duplicate records.				
last name first for sorting in portals	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>People_Participants::Last Name First</i> Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Needed so I can sort participants by last name first in portals				
gconstant Yes	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Yes" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	value = "Yes" (used to join Current FDS Mentors)				
gconstant Mentor	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Mentor¶Former Mentor" Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	constant = "Mentor/Former Mentor" (to count how many time a person has been a mentor); Can' be a global with the ¶ for some reason.				
FDS Event	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::FDS Event</i> Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Identifies the type of FDS Program the Associated Event is (SS, Mentoring, Projects, Banquet) so that all of the same type can be used in matches.				
Constant CFS	Calculated, Text	Calculation: <ul style="list-style-type: none"> "CFS Track¶Has CFS" Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	constant = "CFS Track¶Has CFS" to match in FDSPlus for NuFac lists for Chairs				
--EXPORT FIELDS---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

		<ul style="list-style-type: none"> Index Language: English 					
Export Field 1	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPart Export 1</i> = "Full Name"; <i>People_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Last Name First"; <i>People_Participants::Last Name First</i>; <i>UserSelectFields::gPart Export 1</i> = "Preferred Full Name"; <i>People_Participants::Preferred Full Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Last Name"; <i>People_Participants::Last Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Rest of Name"; <i>People_Participants::Rest of Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Preferred Name"; <i>People_Participants::Preferred Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Phone"; <i>People_Participants::Phone</i>; <i>UserSelectFields::gPart Export 1</i> = "Address"; <i>People_Participants::Address</i>; <i>UserSelectFields::gPart Export 1</i> = "Email"; <i>People_Participants::Email</i>; <i>UserSelectFields::gPart Export 1</i> = "Ext Verified"; <i>People_Participants::Ext Verified</i>; <i>UserSelectFields::gPart Export 1</i> = "Unit Type"; <i>Units_Participants::Unit Type</i>; <i>UserSelectFields::gPart Export 1</i> = "Base Unit"; <i>Units_Participants::Unit Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Base Unit Abbrev"; <i>Units_Participants::Unit Abbrev</i>; <i>UserSelectFields::gPart Export 1</i> = "Base Unit Short"; <i>Units_Participants::Unit Short</i>; <i>UserSelectFields::gPart Export 1</i> = "BU Head"; <i>People_BUHead_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 1</i> = "BU Head Phone"; <i>People_BUHead_Participants::Phone</i>; <i>UserSelectFields::gPart Export 1</i> = "BU Head Address"; <i>People_BUHead_Participants::Address</i>; <i>UserSelectFields::gPart Export 1</i> = "BU Head Email"; <i>People_BUHead_Participants::Email</i>; <i>UserSelectFields::gPart Export 1</i> = "Head Unit Type"; <i>Units_HUDData_Participants::Unit Type</i>; <i>UserSelectFields::gPart Export 1</i> = "Head Unit"; <i>Units_HUDData_Participants::Unit Name</i>; <i>UserSelectFields::gPart Export 1</i> = "Head Unit Abbrev"; <i>Units_HUDData_Participants::Unit Abbrev</i>; <i>UserSelectFields::gPart Export 1</i> = "Head Unit Short"; <i>Units_HUDData_Participants::Unit Short</i>; <i>UserSelectFields::gPart Export 1</i> = "HU Head"; <i>People_HUHead_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 1</i> = "HU Head Phone"; <i>People_HUHead_Participants::Phone</i>; <i>UserSelectFields::gPart Export 1</i> = "HU Head Address"; <i>People_HUHead_Participants::Address</i>; <i>UserSelectFields::gPart Export 1</i> = "HU Head Email"; <i>People_HUHead_Participants::Email</i>; GetField(<i>UserSelectFields::gPart Export 1</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/ <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					
Export Field 2	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPart Export 2</i> = "Full Name"; <i>People_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Last Name First"; <i>People_Participants::Last Name First</i>; <i>UserSelectFields::gPart Export 2</i> = "Preferred Full Name"; <i>People_Participants::Preferred Full Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Last Name"; <i>People_Participants::Last Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Rest of Name"; <i>People_Participants::Rest of Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Preferred Name"; <i>People_Participants::Preferred Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Phone"; <i>People_Participants::Phone</i>; <i>UserSelectFields::gPart Export 2</i> = "Address"; <i>People_Participants::Address</i>; <i>UserSelectFields::gPart Export 2</i> = "Email"; <i>People_Participants::Email</i>; <i>UserSelectFields::gPart Export 2</i> = "Ext Verified"; <i>People_Participants::Ext Verified</i>; <i>UserSelectFields::gPart Export 2</i> = "Unit Type"; <i>Units_Participants::Unit Type</i>; <i>UserSelectFields::gPart Export 2</i> = "Base Unit"; <i>Units_Participants::Unit Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Base Unit Abbrev"; <i>Units_Participants::Unit Abbrev</i>; <i>UserSelectFields::gPart Export 2</i> = "Base Unit Short"; <i>Units_Participants::Unit Short</i>; <i>UserSelectFields::gPart Export 2</i> = "BU Head"; <i>People_BUHead_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 2</i> = "BU Head Phone"; <i>People_BUHead_Participants::Phone</i>; <i>UserSelectFields::gPart Export 2</i> = "BU Head Address"; <i>People_BUHead_Participants::Address</i>; <i>UserSelectFields::gPart Export 2</i> = "BU Head Email"; <i>People_BUHead_Participants::Email</i>; <i>UserSelectFields::gPart Export 2</i> = "Head Unit Type"; <i>Units_HUDData_Participants::Unit Type</i>; <i>UserSelectFields::gPart Export 2</i> = "Head Unit"; <i>Units_HUDData_Participants::Unit Name</i>; <i>UserSelectFields::gPart Export 2</i> = "Head Unit Abbrev"; <i>Units_HUDData_Participants::Unit Abbrev</i>; <i>UserSelectFields::gPart Export 2</i> = "Head Unit Short"; <i>Units_HUDData_Participants::Unit Short</i>; <i>UserSelectFields::gPart Export 2</i> = "HU Head"; <i>People_HUHead_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 2</i> = "HU Head Phone"; <i>People_HUHead_Participants::Phone</i>; <i>UserSelectFields::gPart Export 2</i> = "HU Head Address"; <i>People_HUHead_Participants::Address</i>; <i>UserSelectFields::gPart Export 2</i> = "HU Head Email"; <i>People_HUHead_Participants::Email</i>; GetField(<i>UserSelectFields::gPart Export 2</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/ <p>Storage:</p> <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					
Export Field 3	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> Case (<i>UserSelectFields::gPart Export 3</i> = "Full Name"; <i>People_Participants::Full Name</i>; <i>UserSelectFields::gPart Export 3</i> = "Last Name First"; <i>People_Participants::Last Name First</i>; <i>UserSelectFields::gPart Export 3</i> = "Preferred Full Name"; <i>People_Participants::Preferred Full Name</i>; <i>UserSelectFields::gPart Export 3</i> = "Last Name"; <i>People_Participants::Last Name</i>; <i>UserSelectFields::gPart Export 3</i> = "Rest of Name"; 					

		<p> <i>People_Participants::Rest of Name; UserSelectFields::gPart Export 3 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 3 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 3 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 3 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 3 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 3 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 3 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 3 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 3 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 3 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 3 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 3 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 3 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 3 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 3 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 3 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 3 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 3 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 3 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 3 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 3 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 3)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i> </p> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 4	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 4 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 4 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 4 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 4 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 4 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 4 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 4 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 4 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 4 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 4 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 4 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 4 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 4 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 4 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 4 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 4 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 4 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 4 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 4 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 4 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 4 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 4 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 4 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 4 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 4 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 4 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 4)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 5	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 5 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 5 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 5 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 5 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 5 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 5 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 5 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 5 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 5 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 5 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 5 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 5 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 5 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev;</i> 					

		<p><i>UserSelectFields::gPart Export 5 = "Base Unit Short";</i> <i>Units_Participants::Unit Short; UserSelectFields::gPart Export 5 = "BU Head"; People_BUHead_Participants::Full Name;</i> <i>UserSelectFields::gPart Export 5 = "BU Head Phone";</i> <i>People_BUHead_Participants::Phone; UserSelectFields::gPart Export 5 = "BU Head Address";</i> <i>People_BUHead_Participants::Address; UserSelectFields::gPart Export 5 = "BU Head Email"; People_BUHead_Participants::Email;</i> <i>UserSelectFields::gPart Export 5 = "Head Unit Type";</i> <i>Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 5 = "Head Unit"; Units_HUDData_Participants::Unit Name;</i> <i>UserSelectFields::gPart Export 5 = "Head Unit Abbrev";</i> <i>Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 5 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 5 = "HU Head";</i> <i>People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 5 = "HU Head Phone";</i> <i>People_HUHead_Participants::Phone; UserSelectFields::gPart Export 5 = "HU Head Address";</i> <i>People_HUHead_Participants::Address; UserSelectFields::gPart Export 5 = "HU Head Email"; People_HUHead_Participants::Email;</i> GetField(<i>UserSelectFields::gPart Export 5</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</p> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 6	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 6 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 6 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 6 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 6 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 6 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 6 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 6 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 6 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 6 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 6 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 6 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 6 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 6 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 6 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 6 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 6 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 6 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 6 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 6 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 6 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 6 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 6 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 6 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 6 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 6 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 6 = "HU Head Email"; People_HUHead_Participants::Email;</i> GetField(<i>UserSelectFields::gPart Export 6</i>) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/ <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 7	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 7 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 7 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 7 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 7 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 7 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 7 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 7 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 7 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 7 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 7 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 7 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 7 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 7 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 7 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 7 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 7 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 7 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 7 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 7 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 7 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 7 = "Head Unit Abbrev";</i> 					

		<p><i>Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 7 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 7 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 7 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 7 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 7 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 7)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i></p> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 8	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 8 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 8 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 8 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 8 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 8 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 8 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 8 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 8 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 8 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 8 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 8 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 8 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 8 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 8 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 8 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 8 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 8 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 8 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 8 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 8 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 8 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 8 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 8 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 8 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 8 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 8 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 8)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i> <p>Storage:</p> <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 9	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 9 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 9 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 9 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 9 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 9 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 9 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 9 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 9 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 9 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 9 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 9 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 9 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 9 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 9 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 9 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 9 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 9 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 9 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 9 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 9 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 9 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 9 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 9 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 9 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 9 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 9 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 9)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i> 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
Export Field 10	Calculated, Text	Calculation: <ul style="list-style-type: none"> • Case (<i>UserSelectFields::gPart Export 10 = "Full Name"; People_Participants::Full Name; UserSelectFields::gPart Export 10 = "Last Name First"; People_Participants::Last Name First; UserSelectFields::gPart Export 10 = "Preferred Full Name"; People_Participants::Preferred Full Name; UserSelectFields::gPart Export 10 = "Last Name"; People_Participants::Last Name; UserSelectFields::gPart Export 10 = "Rest of Name"; People_Participants::Rest of Name; UserSelectFields::gPart Export 10 = "Preferred Name"; People_Participants::Preferred Name; UserSelectFields::gPart Export 10 = "Phone"; People_Participants::Phone; UserSelectFields::gPart Export 10 = "Address"; People_Participants::Address; UserSelectFields::gPart Export 10 = "Email"; People_Participants::Email; UserSelectFields::gPart Export 10 = "Ext Verified"; People_Participants::Ext Verified; UserSelectFields::gPart Export 10 = "Unit Type"; Units_Participants::Unit Type; UserSelectFields::gPart Export 10 = "Base Unit"; Units_Participants::Unit Name; UserSelectFields::gPart Export 10 = "Base Unit Abbrev"; Units_Participants::Unit Abbrev; UserSelectFields::gPart Export 10 = "Base Unit Short"; Units_Participants::Unit Short; UserSelectFields::gPart Export 10 = "BU Head"; People_BUHead_Participants::Full Name; UserSelectFields::gPart Export 10 = "BU Head Phone"; People_BUHead_Participants::Phone; UserSelectFields::gPart Export 10 = "BU Head Address"; People_BUHead_Participants::Address; UserSelectFields::gPart Export 10 = "BU Head Email"; People_BUHead_Participants::Email; UserSelectFields::gPart Export 10 = "Head Unit Type"; Units_HUDData_Participants::Unit Type; UserSelectFields::gPart Export 10 = "Head Unit"; Units_HUDData_Participants::Unit Name; UserSelectFields::gPart Export 10 = "Head Unit Abbrev"; Units_HUDData_Participants::Unit Abbrev; UserSelectFields::gPart Export 10 = "Head Unit Short"; Units_HUDData_Participants::Unit Short; UserSelectFields::gPart Export 10 = "HU Head"; People_HUHead_Participants::Full Name; UserSelectFields::gPart Export 10 = "HU Head Phone"; People_HUHead_Participants::Phone; UserSelectFields::gPart Export 10 = "HU Head Address"; People_HUHead_Participants::Address; UserSelectFields::gPart Export 10 = "HU Head Email"; People_HUHead_Participants::Email; GetField(UserSelectFields::gPart Export 10)) /*The default value is the name of the field as it appears in the global (this only works if the field is in the Participants table*/</i> Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 					
---TEMP---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
TEMP	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Imported Data to Check	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					

Table Name: ParticipantsContacts - 20 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Contact ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Serial: Generate: On creation, Next value: 2313, Increment: 1 Validation: <ul style="list-style-type: none"> • Always Validate • Not empty • Unique • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Auto-generated serial number				
Part ID	Normal, Number	Auto-Enter:	Auto-entered through scripts				

		<ul style="list-style-type: none"> Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	when Contact records are created. Can be "0" if the Contact isn't connected to a Participant.				
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: //Can't use [EVENTS_MAIN::Event ID] because for some Contacts this is "N/A" Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Created in order to keep track of contacts not tied directly to a person. Can't auto insert the Evt ID because for some Contacts this is "N/A". Need to script this value.				
Base Unit ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>Units_People_Part_Contacts::Unit ID</i> Lookup: <i>Units_Participants::Unit ID</i>, Do not copy, Don't copy contents if empty Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Created in order to keep track of contacts not tied directly to a person. Can be "0" if not tied to a Person.				
__CONTACT DATA__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Contact Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Contact Type</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Contact Purpose	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Contact Purpose</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Contact Subject	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Contact Subject</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 					
Contact Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: Get (<i>CurrentDate</i>) 	Current Date is Auto-entered but can be changed by the User.				

		Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
---NOT IN DB---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Data fields for Contacts where the Person/Unit is not in the database.				
Person notIn Database	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Person notIn Database</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User can type in the name of the Person if the person is not in the database.				
Unit notIn Database	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Unit notIn Database</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	User can type in the name of the Unit if the Unit is not in the database.				
Location notIn Database	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>Contacts_Main::Location notIn Database</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	U.S. or Foreign				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 	Auto-generated				

		<ul style="list-style-type: none"> Indexing: All 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Temp	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>PROGRAMS_MAIN::</i>Program ID Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 					

Table Name: Participant Seating - 14 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Participant ID	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::</i>Event ID Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
SEATING	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Seating Notes	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Seating 1	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 					

		<ul style="list-style-type: none"> Indexing: All 					
Seating 2	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Seating 3	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Seating 4	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Seating 5	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
ADMIN	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gSelected Seating	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	User can select the current Seating (Seating 1-5) to base other calculations on				
cTable No. of Selected Seating	Calculated, Number	Calculation: <ul style="list-style-type: none"> GetField (<i>Participant Seating::gSelected Seating</i>) Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Uses GetField to return the Table Number for the Seating chosen by the user in [gSelected Seating]				
cTable_HeadUnit	Calculated, Text	Calculation: <ul style="list-style-type: none"> <i>Participant Seating::cTable No. of Selected Seating & " " & Units_HUDData_Participants::Unit Abbrev</i> Storage: <ul style="list-style-type: none"> Repetitions: 1 Do not store calculation results 	Calc that combines the Table Number of the Selected Seating with the Head Unit Name				
Highlight Rows	Calculated, Binary	Calculation: <ul style="list-style-type: none"> Case (<i>Participant Seating::gSelected Seating</i> = "Seating 1" ; Case (Mod (<i>Participant Seating::Seating</i> 1 ; 2) ; GetRepetition (<i>DataGlobals::gRow Highlight Gray</i> ; 1)) ; <i>Participant Seating::gSelected Seating</i> = "Seating 2" ; Case (Mod (<i>Participant Seating::Seating</i> 2 ; 2) ; GetRepetition (<i>DataGlobals::gRow Highlight Gray</i> ; 1)) ; <i>Participant Seating::gSelected Seating</i> = "Seating 3" ; Case (Mod (<i>Participant Seating::Seating</i> 3 ; 2) ; GetRepetition (<i>DataGlobals::gRow Highlight Gray</i> ; 1)) ; <i>Participant Seating::gSelected Seating</i> = "Seating 4" ; Case (Mod (<i>Participant Seating::Seating</i> 4 ; 2) ; GetRepetition (<i>DataGlobals::gRow Highlight Gray</i> ; 1)) ; <i>Participant Seating::gSelected Seating</i> = "Seating 5" ; Case (Mod (

		Participant Seating::Seating 5 ; 2) ; GetRepetition (<i>DataGlobals::gRow Highlight</i> Gray ; 1))) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Do not store calculation results 				
--	--	--	--	--	--	--

Table Name: ParticipantOtherData - 9 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: <i>EVENTS_MAIN::Event ID</i> Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Event IDs • Error message: This Data does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Used in relationship to view only data relevant to the event				
Participant ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Participant IDs • Error message: This Data does not have a valid Participant ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ParticipantOtherData::Category</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					
Data	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: Unformat (<i>ParticipantOtherData::Data</i>) Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
---MOD DATA---	Normal, Timestamp	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					

Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

Table Name: EventAttendLabels - 9 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::Program ID</i> Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::Event ID</i> Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Event IDs Error message: This Label does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Attendance Order	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Attendance Label	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EventAttendLabels::Attendance Label</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None 					

		<ul style="list-style-type: none"> Automatically create indexes as needed Index Language: English 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

Table Name: RSVP_Attend Values Groups - 2 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
RSVP_Attend Values Group ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Serial: Generate: On creation, Next value: 11, Increment: 1 Validation: <ul style="list-style-type: none"> Only during data entry Strict data type: Numeric Not empty Unique Strict validation Error message: The ID cannot be modified. Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
RSVP_Attend Values Group	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry 	The name of the group of values that the RSVP or				

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 	Attendance Value belongs to.				
--	--	--	------------------------------	--	--	--	--

Table Name: RSVP_Attend Values - 2 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
RSVP_Attend Values Group ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
RSVP_Attend Value	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: Minimal • Automatically create indexes as needed • Index Language: English 					

Table Name: EvtAdmin - 13 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Person ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: If (<i>EvtAdmin::Person ID</i> < "a"; <i>EvtAdmin::Person ID</i>; <i>zidPerson_EvtAdmin::Person ID</i>) //If Person ID < "a" it must be a number, so leave the value as it is typed in, otherwise, Uses an additional TO to generate the Person ID based on the Last Name First value chosen by user in a pop-up list. Validation: <ul style="list-style-type: none"> • Only during data entry • Strict validation Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Can be triggered by a zid relationship.				
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: <i>EVENTS_MAIN::Event ID</i> Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Event IDs • Error message: This EvtAdmin does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> • Allow editing • Calculation: <i>EVENTS_MAIN::Program ID</i> Validation: <ul style="list-style-type: none"> • Only during data entry • Not empty • Strict validation • Value list: All Program IDs • Error message: This EvtAdmin does not have a valid Program ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				

Unit	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>Units_People_EvtAdmin::Unit</i> Abbrev Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Triggered by Admin selected, but doesn't automatically update so original value is keep for historical accuracy.				
Person Role	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EvtAdmin::Person Role</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EvtAdmin::Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
---ADMIN---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Program Menu Category	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>PROGRAMS_MAIN::Menu</i> Category Lookup: <i>PROGRAMS_MAIN::Menu</i> Category, Do not copy, Don't copy contents if empty Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Program Menu Category, used to filter FC Events Admin portal (haven't figured out how to keep it updated)				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None 					

		<ul style="list-style-type: none"> Automatically create indexes as needed Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					

Table Name: EvtSponsors - 10 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Main Contact ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: If(EvtSponsors::Main Contact ID < "a"; EvtSponsors::Main Contact ID; <i>zidPeople_EvtSponsors::Person ID</i>) //If Main Contact ID < "a" it must be a number, so leave the value as it is typed in, otherwise, use the value (the person's last name first, to find and enter the correct Person ID Validation: <ul style="list-style-type: none"> Only during data entry Strict validation Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	The Person ID of the person who is the main contact from the unit that is a co-sponsor. zid triggered				
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::Event ID</i> Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Event IDs Error message: This EvtAdmin does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 	Auto-entered through scripts when Sponsor records are created.				
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>EVENTS_MAIN::Program ID</i> Validation: <ul style="list-style-type: none"> Only during data entry Not empty Value list: All Program IDs 	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				

		<ul style="list-style-type: none"> Error message: This EvtAdmin does not have a valid Program ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Unit	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Do not replace existing value for field (if any) Calculation: <i>Units_People_EvtSponsors::Unit</i> Name Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Triggered by Admin selected, but doesn't automatically update so original value is keep for historical accuracy.				
Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>EvtSponsors::Notes</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Any relevant notes about this sponsor.				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Auto-generated				
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Auto-generated				
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing 	Auto-generated				

		Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
--	--	--	--	--	--	--	--

Table Name: EvtAssistants - 10 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Student ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: If (EvtAssistants::Student ID < "a"; EvtAssistants::Student ID; zidStudent_EvtAsst::Student ID) //If Student ID < "a" it must be a number, so leave the value as it is typed in, otherwise, Uses an additional TO to generate the Student ID based on the Last Name First value chosen by user in a pop-up list. Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Event ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: EVENTS_MAIN::Event ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Event IDs Error message: This EvtAssistant does not have a valid Event ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All 					
Program ID	Normal, Number	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: EVENTS_MAIN::Program ID Validation: <ul style="list-style-type: none"> Only during data entry Not empty Strict validation Value list: All Program IDs Error message: This EvtAssistant does not have a valid Program ID! Please inform Jane!! Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 	Value auto-entered based on Event ID. Useful sometimes for Admin purposes.				
Person Role	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (EvtAssistants::Person Role) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 					
Notes	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (EvtAssistants::Notes) Validation: <ul style="list-style-type: none"> Only during data entry 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					

Table Name: EvtAuthorization - 11 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Event ID	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All 					
Account Name	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry • Strict validation • Error message: You do not have Editing Privileges for this Event. Choose to Revert all changes to this record. • Calculation: PatternCount (<i>DataGlobals::cJane's Account Name</i> ; Get (<i>AccountName</i>)) or PatternCount (Name of the Account for this Authorization Record				

		<i>EVENTS_MAIN::Event</i> Owners ; Get (AccountName)) Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Event Privileges	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Constant data: Edit, Create, Delete • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	The Privileges this Account has for this Event				
Activity Privileges	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Constant data: Edit, Create, Delete • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	The Privileges this Account has for Activities in this Event				
Presenter Privileges	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Constant data: Edit, Create, Delete • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	The Privileges this Account has for Presenters in this Event				
Participant Privileges	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Constant data: Edit, Create, Delete • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 	The Privileges this Account has for Participants in this Event				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: All • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					

Table Name: DataGlobals - 39 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
---MULTI-USE---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
gTempText	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Used to hold any text value temporarily. Default [""]				
gTempNumber	Normal, Number	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Used to hold any number value temporarily. Default [""]				
gModifier Key	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Used to hold the value of the Modifier Key so it can be used later in the script. Default [""]				
gInput Field One	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage:	Blank Input Field to hold values inputted into Custom Dialog				

		<ul style="list-style-type: none"> Global Repetitions: 1 	Boxes. Default [""]				
gInput Field Two	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Blank Input Field to hold values inputted into Custom Dialog Boxes. Default [""]				
gInput Field Three	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Blank Input Field to hold values inputted into Custom Dialog Boxes. Default [""]				
gReport Header	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Insert Title and Date of Report				
--ADMIN/INTERFACE--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
SFM Response Field	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Field used to pass Secure FM & MenuMagic functions.				
gPortal Row Current	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Stores the portal row number so it can be highlighted when needed. Default [""]				
gPortal Row Last	Normal, Number	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Stores the last portal row number so it can be compared to the current row to see if it is the same row. Default [""]				
gLast People Layout	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Name of the most recent People Layout the user was on. Used with the People button to return to this layout.				
gLast Unit Layout	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Name of the most recent Unit Layout the user was on. Used with the Unit button to return to this layout.				
gLast Layout	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Name of the most recent Layout the user was on. Used with the "Go Back" script to return to this layout.				
---CONSTANTS---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage:					

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
gCurrent SFM Version	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Set by first script in Settings. Text that should be returned when the SFM registration is checked; Used to make sure the user has the current version installed; if not, scripts will close the file.				
gModifiable People Layouts	Calculated, Text	Calculation: <ul style="list-style-type: none"> • <i>Tabs::</i>Modify Basic & "¶" & <i>Tabs::</i>Modify Rank & "¶" & <i>Tabs::</i>Modify History & "¶" & <i>Tabs::</i>Modify Jobs & "¶" & <i>Tabs::</i>Modify Bio & "¶" & <i>Tabs::</i>Modify Expertise & "¶" & "Expertise Details" & "¶" & "Bio Details" & "¶" & "Add/Modify Awards" & "¶" & <i>Tabs::</i>Unit Basic & "¶" & <i>Tabs::</i>Unit Rank & "¶" & <i>Tabs::</i>Unit History & "¶" & <i>Tabs::</i>Home Unit & "¶" & <i>Tabs::</i>Head Unit & "¶" & <i>Tabs::</i>Unit Staff & "¶" & "Fall Seminar RSVP Info" & "¶" & "Fall Seminar Directory Info" //List of all the layouts in People that I want to allow modification in. (Unit Basic is needed so users can choose which values to see in the People portal, so all other fields on the layout should not be modifiable). Unit Staff is needed to modify People Jobs for administrators. Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	List of all People Layouts that can be modified by Average Users (to use in Privileges)				
cFacCen BU ID	Calculated, Number	Calculation: <ul style="list-style-type: none"> • 1 Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Value = "1" which is the BU ID for the Faculty Center; used to create value list of only FC personnel				
cJane's Account Name	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "A. Jane Birch" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gTab	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Tab character (used to separate Export data & labels)				
--GRAPHICS--	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
gLink button	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Yellow box used for navigation.				
gTrash	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Trash icon used for buttons that delete portal rows.				
gRedCheckmark	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gRow Highlight Gray	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 2 	Gray color to use to highlight alternate list/portal rows.				
gLocked Unlocked	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 2 	2 lock icons, one locked and one unlocked (used to show status of locked events)				
gFDS Logo	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gCheckmark	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gBeehive	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gHelp Button	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
gEmail	Normal, Binary	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Email Graphic				
---MOD DATA---	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry 					

		Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Creation account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Creation timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> • Modification account name • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> • Modification timestamp • Allow editing Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					
----TEMP----	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
gTemp	Calculated, Text	Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					

Table Name: UserSelectFields - 76 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists

--PEOPLE EXPORT--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gPeople Export 1	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 2	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 3	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 4	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 5	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 6	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 7	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 8	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 9	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export 10	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPeople Export Data	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
--PART EXPORT--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage:					

		<ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
gPart Export 1	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 2	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 3	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 4	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 5	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 6	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 7	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 8	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 9	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export 10	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
gPart Export Data	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Text to contain the name of the field that will be used to export records. Works with Export Fields in individual files.				
--PEOPLE LIBRARY--	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed 					

		<ul style="list-style-type: none"> Index Language: English 					
psLIB Quick Search	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psLIB Quick Search & External</i> ("Menu-PerformScript"; "ps-Quick Search") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Global for storing text entered by user for a Quick Search of several fields				
gLIB Find People	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Find One Person	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Find One Unit	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Find Participants	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Sort Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB List People Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB ViewModify People Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB ViewModify Unit Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Send Email	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Send Letters.Fax	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Print Envelopes	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					

gLIB Print Labels	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Print Nameplates	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Print Nametags	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Print Reports	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gLIB Export Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
--PART LIBRARY--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gPLIB Send Email	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Send Letters.Fax	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Print Envelopes	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Print Labels	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Print Nameplates	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Print Nametags	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Print Reports	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry 					

		Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gPLIB Export Records	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
---AUDIENCE---	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	For choosing Program Audience, but can be used for other purposes.				
gGeneral	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gExperience	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gEmployee Class	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gUnit	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gRank	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gTrack	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gCFS Status	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gTitle	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gGender	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
gMarital Status	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					

-----MISC-----	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 				
gSelectGetField	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used in calc by [People::cView gSelectGetField] to display the field chosen by user for each People record. Default: ""			
gIncludeorExclude Invitees	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::gIncludeorExclude Invitees & External</i> ("Menu-PerformScript"; "ps-Include/Exclude Invitees") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used on the Attended FC Events layout in People. Default: "Invitee" (which will EXCLUDE all invitees)			
psSelect Event Owner	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psSelect Event Owner & External</i> ("Menu-PerformScript"; "ps-Select Event Owner") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	SFM Perform Script: User choses Account Names of those who are Event Owners. Default: "Select New Event Owner:"			
--TOOLBAR SCRIPTS--	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 				
psGo to Layout	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psGo to Layout & External</i> ("Menu-PerformScript"; "ps-Go to Layout") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	SFM Perform Script: User selected: Name of Layout user wants to go to.			
psShow Report	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psShow Report & External</i> ("Menu-PerformScript"; "ps-Show Report") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	SFM Perform Script: User selected: Names of reports users can run from the ToolBar			
psLocal Options	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psLocal Options & External</i> ("Menu-PerformScript"; "ps-Local Options") Validation: <ul style="list-style-type: none"> Only during data entry Storage:	SFM Perform Script: User selected: Names of scripts specific to tables that users can run from the ToolBar			

		<ul style="list-style-type: none"> Global Repetitions: 1 					
psGlobal Options	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: <i>UserSelectFields::psGlobal Options</i> & External ("Menu-PerformScript"; "ps-Global Options") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	SFM Perform Script: User selected: Names of global scripts users can run from the ToolBar				
__Contact Globals__	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
gContact Type	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>UserSelectFields::gContact Type</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to allow user to create Mass Contacts				
psContact Purpose	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>UserSelectFields::psContact Purpose</i>) & External ("Menu-PerformScript"; "ps-Refresh Record Contacts Window") Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to allow user to create Mass Contacts; PerformScript used to refresh the window to see the correct values				
gContact Subject	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Unformat (<i>UserSelectFields::gContact Subject</i>) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Used to allow user to create Mass Contacts				
gContact Date	Normal, Date	Auto-Enter: <ul style="list-style-type: none"> Allow editing Calculation: Right (<i>UserSelectFields::gContact Type</i> & <i>UserSelectFields::psContact Purpose</i> & <i>UserSelectFields::gContact Subject</i> ; 0) & Get (CurrentDate) Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					

Table Name: Tabs - 95 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
--PEOPLE TABS-- SP=Field Name; Field Value=Exact name of Layout/Button Label.	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as 					

		needed <ul style="list-style-type: none"> Index Language: English 					
The People Library	Calculated, Text	Calculation: <ul style="list-style-type: none"> "The People Library" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Basic View	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Basic View" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
History View	Calculated, Text	Calculation: <ul style="list-style-type: none"> "History View" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Jobs View	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Jobs View" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Bio View	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Bio View" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Expertise View	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Expertise View" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Basic	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Basic" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Rank	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Rank" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify History	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify History" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Jobs	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Jobs" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Bio	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Bio" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Expertise	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Expertise" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Unit Basic	Calculated,	Calculation:					

	Text	<ul style="list-style-type: none"> • "Unit Basic" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Unit Rank	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Unit Rank" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Unit History	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Unit History" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Home Unit	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Home Unit" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Head Unit	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Head Unit" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Shorter name for Tab button				
FC Events Button Label	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Events" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 	Shorter name for Tab button; SP should be "Tabs:FC Events Participant"				
FC Events Participant	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Events Participant" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
FC Events Presenter	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Events Presenter" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
FC Events Admin	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Events Admin" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
FC Stats	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Stats" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Basic List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Basic List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Rank List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Rank List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
History List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "History List" Storage: <ul style="list-style-type: none"> • Global 					

		<ul style="list-style-type: none"> • Repetitions: 1 					
Jobs List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Jobs List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
All Fields List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "All Fields List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Find Participants	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Find Participants" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
People Export	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "People Export" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
-- STUDENT TABS--	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
FC Students	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Students" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
FC Events Assisted	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Events Assisted" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
FC Students List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "FC Students List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
---UNIT TABS--- SP=Field Name; Field Value=Exact name of Layout/Button Label.	Normal, Text	Validation: <ul style="list-style-type: none"> • Only during data entry Storage: <ul style="list-style-type: none"> • Repetitions: 1 • Indexing: None • Automatically create indexes as needed • Index Language: English 					
Unit View	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Unit View" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Unit Members	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Unit Members" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					

Unit Staff	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Unit Staff" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Unit Org	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Unit Org" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Unit List	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Unit List" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Unit Notes	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Unit Notes" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	Changes to the Unit name or any other notes.				
Modify Unit	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Unit" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Modify Unit Staff	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Modify Unit Staff" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
--PROG TABS-- SP=Field Name; Field Value=Exact name of Layout/Button Label.	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Values needs to be the exact name of the layout. Field Name used for Script Parameter.				
Programs Main Menu	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Programs Main Menu" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Program Data	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Program Data" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Program Dates	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Program Dates" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Program Audience	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Program Audience" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Program Events	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Program Events" Storage: <ul style="list-style-type: none"> Global 					

		<ul style="list-style-type: none"> • Repetitions: 1 					
Program Stats	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Program Stats" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Data	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Data" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Admin	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Admin" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Participants	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Participants" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Presenters	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Presenters" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Activities	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Activities" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Contacts	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Contacts" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event Roundup	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event Roundup" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Event List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Event List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Activity List	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Activity List" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Activity Data	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Activity Data" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Activity Presenters	Calculated, Text	Calculation: <ul style="list-style-type: none"> • "Activity Presenters" Storage: <ul style="list-style-type: none"> • Global • Repetitions: 1 					
Upcoming Activities	Calculated, Text	Calculation:					

		<ul style="list-style-type: none"> "Upcoming Activities" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
--PART TABS--- SP=Field Name; Field Value=Exact name of Layout/Button Label. Copy	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Values needs to be the exact name of the layout. Field Name used for Script Parameter.				
Individual Participant	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Individual Participant" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Participant Contacts	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Participant Contacts" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Part Attend by Event. Button Label.	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Attendance by Event" //Short version of the Layout name is used here for the Field Label because the actual Layout Name is too long. Use the "SP" field for the Script Parameter. Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	The Layout name is too long to use for the Button Label, so use the SP field for the Script Parameter.				
SP Part Attend by Event	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Participant Attendance by Event" //This is the "SP" field for the Script Parameter. Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				
Part Invite.RSVP. Button Label.	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Invite & RSVP List" //Short version of the Layout name is used here for the Field Label because the actual Layout Name is too long. Use the "SP" field for the Script Parameter. Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	The Layout name is too long to use for the Button Label, so use the SP field for the Script Parameter.				
SP Part Invite.RSVP	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Participant Invite & RSVP List" //This is the "SP" field for the Script Parameter. Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				
Part Attend.Eval. Button Label.	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Attend & Eval List" //Short version of the 	The Layout name is too long to use for the Button Label, so use the				

		<p>Layout name is used here for the Field Label because the actual Layout Name is too long. Use the "SP" field for the Script Parameter.</p> <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	SP field for the Script Parameter.				
SP Part Attend.Eval	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Participant Attend & Eval List" //This is the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				
Part Attend One. Button Label.	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Attendance 1-5" //Short version of the Layout name is used here for the Field Label because the actual Layout Name is too long. Use the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	The Layout name is too long to use for the Button Label, so use the SP field for the Script Parameter.				
SP Part Attend One	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Participant Attendance List 1-5" //This is the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				
Part Attend Two. Button Label.	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Attendance 6-15" //Short version of the Layout name is used here for the Field Label because the actual Layout Name is too long. Use the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	The Layout name is too long to use for the Button Label, so use the SP field for the Script Parameter.				
SP Part Attend Two	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Participant Attendance List 6-15" //This is the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				
Part Other Data. Button Label.	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Other Data List" <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	The Layout name is too long to use for the Button Label, so use the Layout Name for the Script Parameter.				
SP Part Other Data	Calculated, Text	<p>Calculation:</p> <ul style="list-style-type: none"> "Participant Other Data List" //This is the "SP" field for the Script Parameter. <p>Storage:</p> <ul style="list-style-type: none"> Global Repetitions: 1 	This is the SP field for the Script Parameter.				

Contact Data List	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Contact Data List" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Contacts List	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Contacts List" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Participant Seating	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Participant Seating" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 	At first didn't show up as a global, made it not a globa calc then later a calc & it stores (or maybe just need to close DATA after making it a global).				
--PART LIBRARY-	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
The Participant Library	Calculated, Text	Calculation: <ul style="list-style-type: none"> "The Participant Library" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Add New Participant	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Add New Participant" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Participant Export	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Participant Export" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
--EVTADMIN TABS-- SP=Field Name; Field Value=Exact name of Layout/Button Label. Copy2	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Values needs to be the exact name of the layout. Field Name used for Script Parameter.				
Individual Presenter	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Individual Presenter" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Presenter Contacts	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Presenter Contacts" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Presenter Activities	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Presenter Activities" 					

		Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Presenter Evaluation	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Presenter Evaluation" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Presenter List	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Presenter List" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
__ BUTTONS __	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Find Unique Data Participants	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Find Unique Data Participants" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
__ TEMP __	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
BLANK	Calculated, Text	Calculation: <ul style="list-style-type: none"> "" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					
Presenter Evaluation Copy	Calculated, Text	Calculation: <ul style="list-style-type: none"> "Presenter Evaluation" Storage: <ul style="list-style-type: none"> Global Repetitions: 1 					

Table Name: PeopleControl - 9 Fields							
Field Name	Type	Options	Comments	On Layouts	In Relationships	In Scripts	In Value Lists
Account Name	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: All Index Language: English 	User's Account Name (to provide access to the Record Owner and Also Authorized fields when created related People records)				
Record Owner	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: Minimal Automatically create indexes as needed Index Language: English 	Account Name of the person who will "own" the records created by "Account Name"				

Authorized	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Account Name of all users authorized to edit records owned by the Record Owner				
Open Editing	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 	Yes = Any records owned by this Account Name can be edited by anyone.				
---MOD DATA-- -	Normal, Text	Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Creator	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Creation account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modifier	Normal, Text	Auto-Enter: <ul style="list-style-type: none"> Modification account name Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed Index Language: English 					
Modify TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Modification timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry Storage: <ul style="list-style-type: none"> Repetitions: 1 Indexing: None Automatically create indexes as needed 					
Creation TimeStamp	Normal, Timestamp	Auto-Enter: <ul style="list-style-type: none"> Creation timestamp Allow editing Validation: <ul style="list-style-type: none"> Only during data entry 					

		Storage: <ul style="list-style-type: none">• Repetitions: 1• Indexing: None• Automatically create indexes as needed					
--	--	--	--	--	--	--	--